



1146 N Central Avenue #535
 Glendale, California 91202
 Phone:
 818-763-2021
 WWW.AAGAUCATION.COM

PUBLIC AUCTION

Auction Date:
TUESDAY JUNE 6, 2023 @ 11:00 a.m. PST
AUCTION LOCATION:
1570 CONSUMER CIRCLE CORONA, CA

PRISTINE "KOMATSU" METAL STAMPING FACILITY

Preview : Monday June 5th from
 8:00 a.m. to 3:00 p.m.
 "On-line bidding thru bidspotter.com"

PRESORTED
 First-Class Mail
 U.S. Postage
PAID
 STA CLARITA, CA
 Permit No. 298



Komatsu OBS 200-5 200 Ton Gap Frame Press w/ Komatsu Digital Controls, 25-50 Strokes/Min, 6.3" Stroke, 18.9" Die Height, 4.72" Slide Adj., 33 1/2" x 25 3/4" Ram, 57" x 33" Bolster

METAL STAMPING & TOOL / DIE



Komatsu OBS 150-3 150 Ton Gap Frame Press w/ Komatsu Controls, 27-55 Strokes/Min, 7.89" Stroke, 17.72" Die Height, 4.94" Slide Adj., 27.56" x 21.65" Ram, 49.21" x 31.5" Bolster



2000 Komatsu OBS 60-33 60 Ton Gap Frame Press w/ Komatsu Digital Controls, 75-150 Strokes/Min, 11.81" Die Height, 2.76" Slide Adj., 19.7" x 15.7" Ram, 35.4" x 21.7" Bolster

KOMATSU STAMPING DEPARTMENT



Aida NC1-6(1) 68 Ton Gap Frame Press w/ Aida Controls, 60-120 Strokes/Min, 3.54" Stroke, 10.63" Die Height, 2.76" Slide Adj., 18.89" x 15.74" Ram, 34.25" x 15.74" Bolster



Komatsu OBS 45-2 45 Ton Gap Frame Press w/ Komatsu Controls, Link System 1000 Tollage Meter, 50-100 Strokes/Min, 3.94" Stroke, 9.43" Die Height, 2.36" Slide Adj., 15.75" x 11.81" Ram, 31.5" x 17.72" Bolster



Komatsu OBS 45-3 45 Ton Gap Frame Press w/ Komatsu Controls, 100-200 Strokes/Min, 1.97" Stroke, 9.84" Die Height, 2.36" Slide Adj., 15.78" x 13.78" Ram, 31.5" x 17.72" Bolster



Rowe Straightener / Feeder w/ Uncoiler



Bridgeport Vertical Mill w/ 2Hp, 60-4200 Dial RPM, Chrome Ways, Power Feed



Shuster Wire Straightening Machines
2 AVAILABLE



Bridgeport Vertical Mill w/ Anilam Wizard 211 DRO, 1.5Hp, 60-4200 Dial RPM, Chrome Ways, 9" x 32"

Support :

- (2) Shuster Wire Straightening Machines.
- Femco No. 18-36 18GA x 36" Kick Shear.
- Maks 36" Hand Roll w/ 2" Rolla and Stand.
- DoAll 16" Vertical Band Saw w/ Blade Welder, 24" x 24" Table.
- Wells mdl. 58B Horizontal Band Saw s/n 1221 w/ Manual Clamping, Work Stop.
- Italian mdl. L3 7 1/2" Column x 29" Radial Arm Drill w/ 60-2000 RPM, Power Column and Feeds, 18" x 21" x 12" Fixture Table.
- Wilton Type 24500 Geared Head Drill Press s/n 61438 w/ 85-1460 RPM, 8-Speeds, 30" x 30" Table.
- Buffalo No.16 Deep-Hole Drill Press w/ 5-Speeds, 30" x 30" Table.
- Delta 5-Speed Pedestal Drill Press.
- King Bench Model Drill Press.
- Kalamazoo 12" Pedestal Disc Sander.
- Milford mdl. 256 Automatic Riveter s/n 1584 w/ Feeder.
- Lincoln Idealarc R3S-325 Arc Welding Power Source w/ Lincoln LN-7 Wire Feeder.
- Hobart HSW15 1.5kVA Portable Spot Welder s/n LF086770 w/ 6" Throat.
- Welding Torch Cart w/ Access.
- 36" x 96" Welding Table.
- Ingersoll Rand 5Hp Vertical Air Compressor s/n 0810270123 w/ 2-Stage Pump, 60 Gallon Tank.
- Ingersoll Rand UP6-50PR-125 50Hp Rotary Air Compressor s/n PG3301U07078 w/ 215 CFM @ 125 PSIG.
- Hankison Refrigerated Air Dryer.
- 25 Hp Horizontal Air Compressor w/ 2-Stage Pump, 200 Gallon Tank.
- 25 Hp Horizontal Air Compressor w/ 2-Stage Pump, 80 Gallon Tank.
- Speed-D-Burr mdl. 32X60-2 Dual Tank Media Tumbler s/n 5006.
- Dual Drum Media Tumbler.
- Sweeco FM-141R Bowl Style Media Tumbler s/n 14FM-984-11.
- Clean Flo mdl. 630 and 300 Filtration Tanks.

KOMATSU STAMPING DEPARTMENT



1991 Komatsu OBS 200-3 200 Ton Gap Frame Press w/ Komatsu Controls, 25-50 Strokes/Min, 9.84" Stroke, 18.9" Die Height, 4.72" Slide Adj., 33 1/2" x 25 1/2" Ram, 57" x 35" Bolster



Komatsu OBS 80-3 80 Ton Gap Frame Press w/ Komatsu Controls, 37-75 Strokes/Min, 5.12" Stroke, 13.78" Die Height, 3.15" Slide Adj., 21.65" x 17.73" Ram, 39.37" x 23.62" Bolster



2000 Komatsu OBS 60-33 60 Ton Gap Frame Press w/ Komatsu Digital Controls, 75-150 Strokes/Min, 11.81" Die Height, 2.76" Slide Adj., 19.7" x 15.7" Ram, 35.4" x 21.7" Bolster



1998 Komatsu OBS 60L-VS-3 60 Ton Gap Frame Press w/ Komatsu Digital Controls, 42-85 Strokes/Min, 4.72" Stroke, 11.22" Die Height, 2.76" Slide Adj., 19.69" x 15.75" Ram, 35.43" x 21.65" Bolster



1995 Komatsu OBS 60H-VS-# 60 Ton Gap Frame Press w/ Komatsu Controls, 75-150 Strokes/Min, 3.54" Stroke, 11.81" Die Height, 2.76" Slide Adj., 19.69" x 15.75" Ram, 35.43" x 21.65" Bolster



1992 Komatsu OBS 60-3 60 Ton Gap Frame Press w/ 75-150 Strokes/Min, 3.54" Stroke, 11.81" Die Height, 2.76" Slide Adj., 19.69" x 15.75" Ram, 35.43" x 21.65" Bolster



Press Room Equipment PR-HD-10-DG2-GC-480 10" Straightener / Feeder



Press Room Equipment 18" Coil Cradle Straightener



Rowe C6-20/4J Coil Cradle / 20" Straightener-Feeder

PUBLIC AUCTION



Forklifts



2000 GMC 3500 SL 12" Stake Bed Truck w/ 7.4L Vortec Gas Engine, Auto Trams, Dual Tanks, 64,685 Miles



Ingersoll Rand UP6-50PR-125 50Hp Rotary Air Compressor



Media Tumblers



Kingston HJ-1100 17" x 46" Gear-Gap Lathe w/ 35-2000 RPM, Inch/mm Threading, Tail-stock, Steady Rest, 10" 3-Jaw and 12" 4-Jaw Chucks



Falcon Chevalier FSG-3A 1020 10" x 20" Auto Hydraulic Surface Grinder w/ Chevalier Controls, E-Mag Chuck, Dust Collection System

ALL MACHINERY MOVERS MUST BE APPROVED BY THE SELLER PRIOR TO REMOVAL OF EQUIPMENT



BID ON BIDSPOTTER.COM

TERMS OF SALE: CASH OR CASHIERS CHECK ONLY. 18% BUYERS PREMIUM ON ALL PURCHASES \$200.00 REFUNDABLE CASH DEPOSIT. 25% CASH DEPOSIT TOWARDS ALL PURCHASES. ALL SALES ARE SUBJECT TO CALIFORNIA SALES TAX. THERE WILL BE NO EXCEPTIONS.

BID LIVE OR VIA WEBCAST

BidSpotter.com

TERMS AND CONDITIONS
ALL ITEMS ARE SOLD AS-IS / WHERE - IS
NO GUARANTEES, OR WARRANTIES ARE APPLIED
ALL ITEMS MUST BE PICKED UP BY
SPECIFIED DATE



PARTIAL & ABBREVIATED TERMS AND CONDITIONS OF AUCTION

ALL TERMS AND CONDITIONS BEHIND THE BIDDERS CARD SUPPLIED WILL APPLY TO ALL AUCTION SALE ITEMS AND FOR ALL PRIVATE NEGOTIATIONS. BY PARTICIPATING AND BIDDING AT AUCTION YOU ARE LEGALLY BINDING A CONTRACT WITH THE AUCTION COMPANY.

ALL INVOICES MUST BE PAID WITHIN 24 HOURS FROM AUCTION DATE. IT IS PROHIBITED TO BID ON ANY ITEM THAT CANNOT BE PAID IN FULL WITHIN 24 HOURS FROM AUCTION DATE. PAYMENTS MUST BE CASHIERS CHECK, WIRE TRANSFER, OR LETTER OF GUARANTEE FROM BANK.

ALL ITEMS MUST BE REMOVED BY JUNE 16, 2023 3:00 PM (PST)
NO LOADING OR PICK UP ON SATURDAY AND SUNDAY.

NO LOADING BY AUCTIONEER OR SELLER.

BUYERS PREMIUM 18% FOR ALL ONLINE BIDDING ON BIDSPOTTER.COM. AUCTIONEER IS NOT RESPONSIBLE FOR MIS IDENTIFICATION OF ANY EQUIPMENT OR ASSETS BEING SOLD AT AUCTION EITHER BY VERBAL OR WRITTEN. IT IS THE BUYER'S RESPONSIBILITY TO INSPECT THE GOODS AND ASCERTAIN IF THE SPECIFICATIONS, DESCRIPTIONS AND CONDITION OF THE GOODS CONFORM TO THE BUYER'S REQUIREMENT INCLUDING SERIAL NUMBERS.

BUYER ACKNOWLEDGES THAT THE EQUIPMENT OR ITEMS PURCHASED ONCE MAY HAVE CONTAINED, EXPOSED TO, AND OR UTILIZED HAZARDOUS MATERIAL. THERE MAY BE SURFACES ON ITEMS WHERE DECONTAMINATION CANNOT BE VALIDATED: AS SUCH, THE BUYER OR BIDDER ACKNOWLEDGING THAT THEY ARE ACCEPTING THIS EQUIPMENT OR ITEMS IN AN "AS IS" CONDITION.

BUYER AND THEIR ASSOCIATES WILL HOLD AUCTIONEER AND "THE SELLER" HARMLESS AGAINST ANY AND ALL CLAIMS AND ACTIONS ARISING OUT OF THE PARTICIPATION OF THE INDEMNITEE IN THE ACTIVITY, INCLUDING, WITHOUT LIMITATION, EXPENSES, JUDGEMENTS, FINES, SETTLEMENTS AND OTHER AMOUNTS INCURRED IN CONNECTION WITH ANY LIABILITY, SUIT, ACTION, LOSS, OR DAMAGE ARISING OR RESULTING FROM THE INDEMNITEE'S PARTICIPATION IN THE AUCTION. ALL BIDDERS MUST ONLY USE APPROVED MACHINERY MOVERS BY SELLER WITH LIABILITY INSURANCE OF \$2,000,000 OR HIGHER. NO ITEMS SHALL BE REMOVED UNLESS PAID IN FULL AND ALL ITEMS SHALL BE REMOVED IN THE TIME ALLOCATED BY THE AUCTIONEER.

ALL SALES ARE FINAL, AND ALL ITEMS ARE SOLD AS IS WHERE IS, WITH ALL FAULTS AND DEFECTS.

THERE ARE NO GUARANTEE OR WARRANTY TO ANY ITEMS SOLD (RE: MAKE, MODEL, YEAR, HOURS, MILES, OR MERCHANTABILITY BY AUCTIONEER OR SELLER).

BUYERS RESPONSIBILITY TO INSURE PROPER USE FOR SAFETY.

ALL ITEMS ARE SOLD AS "PARTS ONLY"

BUYER ACKNOWLEDGES THAT THE GOODS ARE PRE-OWNED AND GOODS WERE NEITHER DESIGNED NOR MANUFACTURED BY SELLER. SELLER HAS NO KNOWLEDGE OF OR CONTROL OVER THE PRIOR USE OR MISUSE OF THE GOODS OR ANY MODIFICATIONS TO THE GOODS FOLLOWING ORIGINAL MANUFACTURE. NEITHER DOES SELLER HAVE KNOWLEDGE OR CONTROL OVER THE APPLICATION OF THE GOODS BY BUYER. IT IS THE BUYER'S SOLE RESPONSIBILITY TO PROVIDE PROPER SAFETY DEVICES, EQUIPMENT AND INSTRUCTIONS FOR ANY PARTICULAR USE OR TAKE NECESSARY STEPS TO CONFORM TO THE GOODS AND OPERATION THEREOF TO ALL FEDERAL, STATE OR LOCAL GOVERNMENT SAFETY STANDARDS AND LAWS INCLUDING WITHOUT LIMITATION THE OCCUPATIONAL SAFETY AND HEALTH ACT OF "OSHA". ANNOUNCEMENTS MADE BY THE AUCTIONEER ON THE DAY OF THE AUCTION TAKE PRECEDENCE OVER ANY PREVIOUS PRINTED MATERIAL PERTAINING TO THIS AUCTION. AUCTIONEER RESERVES THE RIGHT TO REMOVE OR ADD TO ANY AUCTION ITEMS ON THE LIST UNTIL AUCTION TIME.

LIVE WEBCAST ONLINE ONLY "NO ONSITE BIDDING"
JUNE 6, 2023 @ 11:00 a.m.