

PUBLIC AUCTION

1146 N Central Avenue #535 Glendale, California 91202 Phone: 818-763-2021 WWW.AAGAUCTION.COM Auction Date: THURSDAY SEPTEMBER 28, 2023 @ 11:00 a.m. PST 3454 NIKI WAY, RIVERSIDE CA

ULTRA PRECISION HAAS CNC MACHINING AND TURNING FACILITY

Preview : Monday September 18 From 9:00 a.m. to 4:00 p.m. "On-line bidding thru bidspotter.com".



Haas Vertical Machining Centers **10-AVAILABLE**

PRESORTED First-Class Mail U.S. Postage PAID STA CLARITA, CA Permit No. 298

MATSUURA H-PLUS-300"11"- PALLET HMCF





Z006 Haas SL-10 CNC Turning Center w/ Tool Presetter, 12-Station Turret, 6000 RPM, Parts Catcher, Rigid Tapping, Servobar 300 Automatic Bar Feeder



2006 Haas VF-ZB 4-Axis CNC VMC w/ Haas Controls, 24-Side-Mount ATC, CAT-40, 7500 RPM. 20Hp Z-Speed Gear Drive, Haas VOP-D, Rigid Tapping, M19 Spindle Orientation, Coordinate Scaling

HAAS CNC MACHINING AND TURNING



2004 Haas SL-10 CNC Turning Center w/ Haas Controls, Tool Presetter, 12-Station Turret, 6000 RPM, Parts Catcher, Rigid Tapping, Servobar 300 Automatic Bar Feeder



2004 Haas SL-10 CNC Turning Center w/ Haas Controls, Tool Presetter, 12-Station Turret, 6000 RPM, Parts Catcher, Rigid Tapping, M19 Spindle Orientation, Quick Code, 5C



2005 Haas SL-10 CNC Turning Center w/ Haas Controls, Tool Presetter, 12-Station Turret, 6000 RPM, Parts Catcher, Rigid Tapping, M19 Spindle Orientation, Quick Code, 5C

Support Machinery :

Victor 16406 16" x 40" Geared Head Gap Bed Lathe s/n 563210 w/ 30-1800 RPM, Inch/mm Threading, Tailstock, Trava Dial, KDK Tool Post, 8" 3-Jaw Chuck, Coolant. Victor mdl. VICTOR-330V Vertical Mill s/n 3369 w/ 3Hp Motor, 60-4200 Dial Change RPM, Chrome Ways, Power Feed, 10" x 50" Table.

Kalamazoo Startrite 24-V-10 24" Vertical Band Saw s/n M65315 w/ Blade Welder.

Baldor Pedestal Buffer.

(2) Ryobi Pedestal Buffers.

2005 Servo mdl. 7000 Precision Micro Drill s/n 12177 w/ 20,000 RPM.

Ingersoll Rand SSR-EP-Z5 25Hp Rotary Air Compressor s/n JX4790U0Z103 w/ Intellisys Digital Controls, 97 CFM @ 125 PSIG, 35,648 Hours, Great Lakes Refrigerated Air Dryer, 200 Gallon Vertical Air Tank.

Cyclone Dry Blast Cabinet w/ Dust Collector.

Barrel Style Media Tumbler.

DeWalt Abrasive Cutoff Saw.

Arbor Presses.



2005 Haas SL-10 CNC Turning Center w/ Haas Controls, Tool Presetter, 12-Station Turret, 6000 RPM, Rigid Tapping, Servobar 300 Automatic Bar Loader / Feeder

CNC Mills:

2006 Matsuura H-PLUS-300 11-Pallet CNC Horizontal Machining Center s/n 16831 w/Matsuura G-Tech 30i Controls, Tool Presetter (Needs Cable Repair), 180-Station ATC, CAT-40 Taper Spindle, 15,000 RPM, 4th Axis Thru Pallets @ 1 Degree Indexing, (11) Pallets, Daikin Oil Cooler, Turbo Chip Conveyor, High Flow Coolant.

2006 Haas VF-2B 4-Axis CNC Vertical Machining Center s/n 48111 w/ Haas Controls, Hand Wheel, 24-Station Side-Mount ATC, CAT-40 Taper Spindle, 7500 RPM. 20Hp 2-Speed Gear Drive, Haas VOP-D, Rigid Tapping, M19 Spindle Orientation, Coordinate Scaling and Rotation, Programmable Coolant Nozzle, Haas Vector Drive, Quick Code, Chip Auger, 208/230V, Coolant.

2002 Haas VF-4B CNC Vertical Machining Center s/n 28982 w/ Haas Controls, Hand Wheel, 20-Station ATC, CAT-40 Taper Spindle, 7500 RPM, Rigid Tapping, 20Hp 2-Speed Gear Drive, Programmable Coolant Nozzle, 208/230V, Sigma Motors X-Y-Z, No Counterbalance, Air Blast, 8mm Pitch Ball Screws, Haas Vector Drive, Chip Auger, Coolant.

1996 Haas VF-E CNC Vertical Machining Center s/n 7726 w/ Haas Controls, 20-Station ATC, CAT-40 Taper Spindle, 7500 RPM, Coolant.

1996 Haas VF-E CNC Vertical Machining Center s/n 7725 w/ Haas Controls, 20-Station ATC, CAT-40 Taper Spindle, 7500 RPM, Coolant.

1996 Haas VF-E CNC Vertical Machining Canter s/n 7719 w/ Haas Controls, 20-Station ATC, CAT-40 Taper Spindle, 7500 RPM, Coolant.

1994 Haas VF-4 CNC Vertical Machining Center s/n 3565 w/ Haas Controls, 20-Station ATC, CAT-40 Taper Spindle, 7500 RPM, Rigid Tapping, 15Hp High Torque Motor, Programmable Coolant Nozzle, Chip Auger, Coolant.

1994 Haas VF-2 CNC Vertical Machining Center s/n 3258 w/ Haas Controls, 20-Station ATC, CAT-40 Taper Spindle, 7500 RPM, Rigid Tapping, Chip Auger, Coolant.

1995 Haas VF-O CNC Vertical Machining Center s/n 4162 w/ Haas Controls, 20-Station ATC, CAT-40 Taper Spindle, 7500 RPM, 10Hp Motor, Coolant.

1994 Haas VF-O CNC Vertical Machining Center s/n 3085 w/ Haas Controls, 20-Station ATC, CAT-40 Taper Spindle, 7500 RPM, Rigid Tapping, Coolant.

1994 Haas VF-O CNC Vertical Machining Center s/n 3572 w/ Haas Controls, 20-Station ATC, CAT-40 Taper Spindle, 7500 RPM, Programmable Coolant Nozzle, Chip Auger, Coolant.

HAAS CNC VMC'S



2006 Haas VF-2B 4-Axis CNC VMC w/ Haas Controls, 24-Side-Mount ATC, CAT-40, 7500 RPM. 20Hp 2-Speed Gear Drive, Haas VOP-D, Rigid Tapping, M19 Spindle Orientation, Coordinate Scaling



2002 Haas VF-4B CNC VMC w/ Haas Controls, 20 ATC, CAT-40, 7500 RPM, Rigid Tapping, 20Hp 2-Speed Gear Drive, Programmable Coolant, No Counterbalance, 8mm Pitch Ball Screws



1996 Haas VF-E CNC VMC w/ Haas Controls, 20-ATC, CAT-40. 7500 RPM 8mm Pitch Ball Screws



1996 Haas VF-E CNC VMC w/ Haas Controls, 20-ATC, CAT-40, 7500 RPM



1996 Haas VF-E CNC VMC w/ Haas Controls, 20-ATC, CAT-40, 7500 RPM



1994 Haas VF-4 CNC VMC w/ Haas Controls, 20-ATC, CAT-40, 7500 RPM, Rigid Tapping, 15Hp High Torque Motor, Programmable Coolant

2006 Haas SL-10 CNC Turning Center s/n 3075242 w/ Haas Controls. Tool Presetter. 12-Station Turret. 6000 RPM, Parts Catcher, Rigid Tapping, M19 Spindle Orientation, Quick Code, Haas Vector Drive, Chip Auger, 6 1/2" 3-Jaw Power Chuck, 16C Spindle Nose, Coolant, Haas Servobar 300 Automatic Bar Loader / Feeder s/n 92045 w/ Spindle Liner Set.

2006 Haas SL-10 CNC Turning Center s/n 3075023 w/ Haas Controls, Tool Presetter, 12-Station Turret, 6000 RPM, Parts Catcher, Rigid Tapping, M19 Spindle Orientation, Quick Code, Haas Vector Drive, Chip Auger, 6 1/2" 3-Jaw Power Chuck, 16C Spindle Nose, Coolant, Haas Servobar 300 Automatic Bar Loader / Feeder s/n 92046 w/ Spindle Liner Set.

2005 Haas SL-10 CNC Turning Center s/n 69115 w/ Haas Controls, Tool Presetter, 12-Station Turret, 6000 RPM, Parts Catcher, Rigid Tapping, M19 Spindle Orientation, Quick Code, Haas Vector Drive, Chip Auger, 5C Spindle Nose, Coolant, Haas Servobar 300 Automatic Bar Loader / Feeder s/n 91398.

2004 Haas SL-10 CNC Turning Center s/n 68182 w/ Haas Controls, Tool Presetter, 12-Station Turret, 6000 RPM, Parts Catcher, Rigid Tapping, M19 Spindle Orientation, Quick Code, Haas Vector Drive, Chip Auger, 5C Spindle Nose, Coolant, Haas Servobar 300 Automatic Bar Loader / Feeder s/n 91279.



Mitutoyo LSM-9506 mdl. 544-116-1A Laser Scan Mictometer



Mitutoyo PH-A14 14" Optical Comparator w/ QM-DATAZOO DRO, Surface and Profile Illumination

(11) Chick 4-Position 6" Double-Lock Vise Tombstones.

(26) Kurt 6" Angle-Lock Vises.

(270) CAT-40 Taper Tooling.

(20) 16C Collets.

(60) 5C Collets.

(1Z) R8 Collets.

Tapmatic Tapping Heads and Criterion Boring Heads.

(3) Huot Drill Cabinets.

Insert Milling and Turning Tools, Carbide Inserts, Carbide Endmills, Drills, Taps. Reamers and Misc Tooling.

UBLIC AUCTION



Caterpillar CG25K 4700 Lb Cap LPG Forklift



2010 Infinity G37 Coupe w/ Rebuilt Gas Engine, Auto Trans, AC, 130K Miles



Victor 16406 16" x 40" Geared Head Gap Bed Lathe w/30-1800 RPM, Inch/mm Threading, Tailstock, Trava Dial



Mill w/ 3Hp Motor, 60-4200 RPM, 10 24" Vertical Band Saw Chrome Ways, Power Feed, 10"



Victor mdl. VICTOR-330V Vertical Kalamazoo Startrite 24-V-

Inspection:

Mitutoyo PH-A14 14" Optical Comparator s/n 507019 w/ QM-DATAZOO Programmable DRO, Surface and Profile Illumination, Cabinet

Mitutovo LSM-9506 mdl. 544-116-1A Laser

Scan Mictometer s/n 402108.

National Stereo Microscope.

Mitutoyo Gage Block Set.

Mitutoyo 1"-2" and .275"-.500" Digital Bore Gages.

Mitutoyo Dial Bore Gages.

Mitutoyo, Starrett and Import OD Mics to 6". Mitutovo 0-1" Thread Pitch Mic.

(2) Mitutoyo Depth Mics.

Mitutoyo Dial Depth Gage.

(7) Brown & Sharpe 6" Dial Calipers.

SPI and NCK Dial Caliper Gages.

(2) Indicator Stands w/ Dial Indicators.

6" x 6" Sine Table.

Mojave 36" x 48" x 6" Granite Surface Plate w/ Stand.

24" x 36" x 4" Granite Surface Plate w/ Stand. 18" x 24" x 3 1/2" Granite Surface Plate w/ Cart.

12" x 18" x 3" Granite Surface Plate.

Deltronic Gage Pins.

Pin Gage Sets.

ALL MACHINERY MOVERS MUST BE APPROVED BY THE SELLER PRIOR TO REMOVAL OF EQUIPMENT



BID ON BIDSPOTTER.COM

F SALE: CASH OR CASHIERS CHECK



TERMS AND CONDITIONS ALL ITEMS ARE SOLD AS-IS / WHERE - IS NO GUARANTEES, OR WARRANTIES ARE APPLIED
ALL ITEMS MUST BE PICKED UP BY SPECIFIED DATE



PARTIAL & ABBREVIATED TERMS AND CONDITIONS OF AUCTION

ALL TERMS AND CONDITIONS BEHIND THE BIDDERS CARD SUPPLIED WILL APPLY TO ALL AUCTION SALE ITEMS AND FOR ALL PRIVATE NEGOTIATIONS. BY PARTICIPATING AND BIDDING AT AUCTION YOU ARE LEGALLY BINDING A CONTRACT WITH THE AUCTION COMPANY.

ALL INVOICES MUST BE PAID WITHIN 24 HOURS FROM AUCTION DATE. IT IS PROHIBITED TO BID ON ANY ITEM THAT CANNOT BE PAID IN FULL WITHIN 24 HOURS FROM AUCTION DATE. PAYMENTS MUST BE CASHIERS CHECK, WIRE TRANSFER, OR LETTER OF GUARANTEE FROM BANK.

ALL ITEMS MUST BE REMOVED BY OCTOBER 6, 2023 3:00 PM (PST) NO LOADING OR PICK UP ON SATURDAY AND SUNDAY.

NO LOADING BY AUCTIONEER OR SELLER.

BUYERS PREMIUM 18% FOR ALL ONLINE BIDDING ON BIDSPOTTER.COM. AUCTIONEER IS NOT RESPONSIBLE FOR MIS IDENTIFICATION OF ANY EQUIPMENT OR ASSETS BEING SOLD AT AUCTION EITHER BY VERBAL OR WRITTEN, IT IS THE BUYER'S RESPONSIBILTY TO INSPECT THE GOODS AND ASCERTAIN IF THE SPECIFICATIONS, DESCRIPTIONS AND CONDITION OF THE GOODS CONFORM TO THE BUYER'S REQUIREMENT INCLUDING SERIAL NUMBERS.

BUYER ACKNOWLEDGES THAT THE EQUIPMENT OR ITEMS PURCHASED ONCE MAY HAVE CONTAINED, EXPOSED TO , AND OR UTILIZED HAZARDOUS MATERIAL. THERE MAY BE SURFACES ON ITEMS WHERE DECONTAMINATION CANNOT BE VALIDATED: AS SUCH, THE BUYER OR BIDDER ACKNOWLEDGING THAT THEY ARE ACCEPTING THIS EQUIPMENT OR ITEMS IN AN "AS IS" CONDITION.

BUYER AND THEIR ASSOCIATES WILL HOLD AUCTIONEER AND HARMLESS AGAINST ANY AND ALL CLAIMS AND ACTIONS ARISING OUT OF THE PARTICIPATION OF THE INDEMNITEE IN THE ACTIVITY, INCUDING, WITHOUT LIMITATION, EXPENSES, JUDGEMENTS, FINES, SETTLEMENTS AND OTHER AMOUNTS INCURRED IN CONNECTION WITH ANY LIABLITY, SUIT, ACTION, LOSS, OR DAMAGE ARISING OR RESULTING FROM THE INDEMNITEE'S PARTICIPATION IN THE AUCTION. ALL BIDDERS MUST ONLY USE APPROVED MACHINERY MOVERS BY SELLER WITH LIABILITY INSURANCE OF \$2,000,000 OR HIGHER. NO ITEMS SHALL BE REMOVED UNLESS PAID IN FULL AND ALL ITEMS SHALL BE REMOVED IN THE TIME ALLOCATED BY THE AUCTIONEER

ALL SALES ARE FINAL, AND ALL ITEMS ARE SOLD AS IS WHERE IS, WITH ALL FAULTS AND DEFECTS

THERE ARE NO GUARANTEE OR WARRANTY TO ANY ITEMS SOLD (RE: MAKE, MODEL, YEAR, HOURS, MILES, OR MERCHANTABLITY BY AUCTIONEER OR SELLER). BUYERS RESPONSIBILITY TO INSURE PROPER USE FOR SAFETY.

ALL ITEMS ARE SOLD AS "PARTS ONLY"
BUYER ACKNOWLEDGES THAT THE GOODS ARE PRE-OWNED AND GOODS WERE BUYER ACKNOWLEDGES THAT THE GOUDS ARE PRE-OWNED AND GOUDS WERE NEITHER DESIGNED NOR MANUFACTURED BY SELLER. SELLER HAS NO KNOWLEDGE OF OR CONTROL OVER THE PRIOR USE OR MISUSE OF THE GOODS OR ANY MODIFICATIONS TO THE GOODS FOLLOWING ORIGINAL MANUFACTURE. NEITHER DOES SELLER HAVE KNOWLEDGE OR CONTROL OVER THE APPLICATION OF THE GOODS BY BUYER. IT IS THE BUYER'S SOLE RESPONSIBILITY TO PROVIDE PROPER GOODS BY BUYER. IT IS THE BUYER'S SOLE RESPONSIBILITY TO PROVIDE PROPER SAFETY DEVICES, EQUIPMENT AND INSTRUCTIONS FOR ANY PARTICULAR USE OR TAKE NECCESSARY STEPS TO CONFORM THE GOODS AND OPERATION THEREOF TO ALL FEDERAL, STATE OR LOCAL GOVERNMENT SAFETY STANDARDS AND LAWS INCLUDING WITHOUT LIMITATION THE OCCUPATIONAL SAFETY AND HEALTH ACT OF "OSHA". ANNOUNCEMENTS MADE BY THE AUCTIONER ON THE DAY OF THE AUCTION TAKE PRECEDENCE OVER ANY PREVIOUS PRINTED MATERIAL PERTAINING TO THIS AUCTION. AUCTIONEER RESERVES THE RIGHT TO REMOVE OR ADD TO ANY AUCTION ITEMS ON THE LIST UNTIL AUCTION TIME