



**AMERICAN AUCTIONEERS**  
GROUP

1146 N Central Avenue #535  
Glendale, California 91202  
Phone:  
818-763-2021  
WWW.AAGAUCION.COM

# PUBLIC AUCTION

**AUCTION DATE:**  
**WEDNESDAY FEBRUARY 18, 2026 @ 10:30 a.m. PST**

**AUCTION LOCATION:**  
**14610 INDUSTRY CIRCLE. LA MIRADA, CA**



## “MAJOR” CNC MACHINE TOOLS / HI TECH & ROLLING STOCK AUCTION



2015 Haas VM-2 4-Axis CNC VMC w/ Haas Controls, Digital Hand Wheel, 24-Station Side-Mount ATC, 40-Taper, Renishaw Wireless System

Inspection : Morning of Sale February 17, 2026  
between 9:00am to 3:00pm.  
“Live Webcast Online Only – No Onsite Bidding”.  
“Bidding thru Bidspotter.com”.

PRESORTED  
Standard Mail  
U.S. Postage  
**PAID**  
STA CLARITA, CA  
Permit No. 298

## “STATE OF THE ART” MACHINE TOOLS/ MFG EQUIPMENT



2022 Atlas Copco NGP240+ Nitrogen Generator.



2006 Satisloh GI-3P 5-Axis Lens Grinder Center w/ Bosch Rexroth MTX CNC Controls, 10-Tool Front Load Tool Changer, HSK-E40 Spindle



2021 Raymond 3030 Courier Automated Electric Lift Truck Stackers (NEW) w/ 2500 Lb Cap, 72” Lift Height, Learns Up To 25 Miles of Routes, Seegrig Vision Guided Tech

# PRECISION CNC MACHINING & EDM CUTTING



2017 Agie Charmilles "Form 30" CNC Die Sinker EDM Machine w/ Agie +GF+ Controls, 6-Station Tool Holder, Fire Suppression



1 OF 2 Kitamura Spark Changer Mycenter-2XiF 2-Pallet CNC VMC w/ Fanuc 16i-MB Controls, 24-ATC, CAT-40, 20,000 RPM, Renishaw Wireless System \*\*2-AVAILABLE\*\*



Lexair Inc. 5C Collet Hydraulic Work Holding Stations w/ (6) 3-Station Collet Blocks, Hytec 5000 PSI Hydraulic Power Unit



2015 Haas VM-2 4-Axis CNC VMC w/ Haas Controls, Digital Hand Wheel, 24-Station Side-Mount ATC, 40-Taper, Renishaw Wireless System



2003 Mazak Nexus 510 4-Axis CNC VMC w/ Mazatrol PC-FUSION-CNC 640M Nexus Controls, 30-Station Side ATC, CAT-40, 12,000 RPM, Renishaw Touch-Off Probe



2006 Fadal VMC4525 4-Axis CNC VMC w/ Multi Processor Controls, 24-Station Side-Mount ATC, 40-Taper, 10,000 RPM



Fadal VMC4020 CNC VMC w/ Fadal CNC88HS Controls, 21-Station ATC, CAT-40, 10,000 RPM, 28" Extended "Z" Axis, Rigid Tapping



2004 Fadal EMC CNC VMC w/ Multi Processor Controls, 21-ATC, 40-Taper, 7500 RPM, Renishaw Wireless System

# 5 AXIS GRINDING & TOOL / DIE



**5 AXIS CNC OPTICS GRINDER**

2006 Satisloh GI-3P 5-Axis Lens Grinder Center w/ Bosch Rexroth MTX CNC Controls, 10-Tool Front Load Tool Changer, HSK-E40 Spindle



**DIAMOND GRINDING WHEELS**

Large Quantity of Diamond Grinding Wheels [



**CNC**

1999 Toyota GL 4P-100 II 12' x 39" CNC Cylindrical Grinder w/ GC32 Controls, 12.6" x 39.4" Cap Between Centers



**42" CHUCK**

Blanchard 22D-42 42" Blanchard Grinder w/ 42" Electromagnetic Chuck, 22" Grinding Head



**CNC**

Okamoto ACC-8-20DXNCP 8" x 20" CNC Surface Grinder w/ Fanuc 0-M Controls, 8" x 20" Electromagnetic Chuck



**PRECISION**

Okamoto ACC-124N 12" x 24" Auto Surface Grinder w/ Okamoto Controls, Wheel Dresser

# HARDINGE TURNING / MACHINE TOOLS



**HLV-EM**

Hardinge HLV-EM Wide Bed Tool Room Lathe w/ Sony DRO, 125-3000 RPM, Inch/mm Threading,



**8 AVILABLE**

Bridgeport and Sharp Vertical Mills **\*\*8-AVAILABLE\*\***



**MUST SEE**

Takisawa TSL-Deluxe Type 1000CD 14" x 14" Geared Head – Gap Bed Lathe w/ 55-1800 RPM, Inch/mm Threading, Change Gears, Tailstock



Takisawa / Webb TSL-800D 14" x 32" Geared Head – Gap Bed Lathe w/ 55-1800 RPM, Inch/mm Threading, Change Gears, Tailstock, Steady Rest



**CNC**

W.F. Wells W-914A CNC Horizontal Band Saw w/ Wells CNC Controls, Pneumatic Clamping and Feed

# HAAS CNC ROUTER AND SUPPORT



**MUST SEE**

2004 Haas GR-512 5' x 10' CNC Gantry Router w/ Haas Controls, 10-Station ATC, CAT-40, 10,000 RPM, 20Hp, Travels X=121", Y=61", Z=11"



**CNC**

Hardinge Conquest T42 Twin Spindle – Live Turret CNC Turning Center w/ Fanuc 18T Controls, 12-Station Turret with 6-Live Stations, Sub-Spindle, 16C Spindles

# COMPOSITE PRESSES AND AMADA LASER WELDERS



2020 Tung Yu TYC-50-E-PCD-UP 50-Ton and 2020 Tung Yu TYC-30-E-PCD-UP 30-Ton Servo Driven Compression Molding Presses w/ Monitouch Touch Screen Controls



5/2014 Amada / Miyachi Delta Series mdl. 98-050-01 50-Watt CNC Laser Workstation and 6/2007 Amada / Miyachi Delta 5-Axis System mdl. 132967.5 50-Watt CNC Laser Workstation



2021 Atlas Copco GA11VSD+FF 15Hp Rotary Air Compressor and Ingersoll Rand UP6-10-125 10Hp Rotary Air Compressor



Fadal CNC VMC's \*\*7-AVAILABLE\*\*

## CNC Lathes :

2000 Mazak SQT 200 MSY Twin Spindle Live Turret CNC Turning Center s/n 147622 w/ Mazak PC-Fusion 640T Controls, Tool Presetter, 12-Station Live Turret, 5000 RPM Main and Sub Spindles, 4500 RPM Milling, "C" Axis @ 0.001 Deg, 4" "Y" Axis Travel, Main and Sub Spindle Noses (NO CHUCKS), Chip Conveyor, Coolant (SOLD AS-IS - NO WARRANTY)

Hardinge Conquest T42 Twin Spindle - Live Turret CNC Turning Center w/ Fanuc Series 18T Controls, 12-Station Turret with 6-Live Stations, Sub-Spindle, 16C Spindles, Parts Catcher, Hydraulic Bar Feed.

2006 Ganesha 4212T CNC Turning Center s/n C-950902 w/ Fanuc 0i Mate-TC Controls, 12-Station Turret, Hydraulic Tailstock, 5C Spindle Nose, Parts Conveyor, Coolant.

Okuma Cadet LNC-8C CNC Turning Center s/n 0805D590 w/ Okuma OSP700L Controls, 12-Station Turret, Hydraulic Tailstock, 10" 3-Jaw Power Chuck, Coolant.

Okuma LNC-8C CNC Turning Center s/n B648 w/ Okuma Controls, 10-Station Turret, Hydraulic Tailstock, 8" 3-Jaw Power Chuck, Coolant.

## CNC Grinders :

2006 Satisloh GI-3P 5-Axis Lens Grinder Center s/n 9019 (for high performance grinding and polishing of spheres, aspheres, freeform surfaces, plano optics, domes, prisms, and other complex Shapes) w/ Bosch Rexroth MTX CNC Controls, 10-Tool Front Load Tool Changer, HSK-E40 Spindle, Mariposs T25 Touch Probe, 8" Vacuum Chuck, Coolant and Filtration System.

1999 Toyoda GL 4P-100 II 12' x 39" CNC Cylindrical Grinder s/n LG5909-2 w/ Toyoda GC32 Controls, 12.6" x 39.4" Cap Between Centers, 10-500 RPM Motorized Work Head with 5C Spindle Nose, Tailstock, Coolant Filtration System.

Okamoto ACC-8-20DXNCP 8" x 20" CNC Surface Grinder s/n 62513 w/ Fanuc Series 0-M Controls, 8" x 20" Fine-Line Electromagnetic Chuck, Particulate Filtration, Coolant

## CNC Mills :

2015 Haas VM-2 4-Axis CNC Vertical Machining Center s/n 1119634 w/ Haas Controls, Digital Hand Wheel, 24-Station Side-Mount ATC, 40-Taper Spindle, Renishaw Wireless System, Programmable Coolant Nozzle, Air-Blow, Royal FX-575 FilterMist Mist Collector, Chip Auger, Coolant, Haas HA5C 4th Axis 5C Indexing Head.

2006 Fadal VMC4525 4-Axis CNC Vertical Machining Center s/n 032004096841 w/ Fadal Multi Processor CNC Controls, 24-Station Side-Mount ATC, 40-Taper Spindle, 10,000 RPM, Travels X=45", Y=25", Z=24", Chip Conveyor, Coolant.

2004 Fadal EMC CNC Vertical Machining Center s/n 012004076635 w/ Fadal Multi Processor CNC Controls, 21-Station ATC, 40-Taper Spindle, 7500 RPM, Renishaw Wireless System, 4meg Memory Expansion, High Speed CPU, Graphics, Coolant.

2003 Mazak Nexus 510 4-Axis CNC Vertical Machining Center s/n 162468 mdl. VCN-410/510 w/ Mazatrol PC-FUSION-CNC 640M Nexus Controls, 30-Station Side Mount ATC, CAT-40 Taper Spindle, 12,000 RPM, Renishaw Tool Touch-Off Probe, Oil Cooler, Coolant.

Fadal VMC4020 CNC Vertical Machining Center s/n 9905708 w/ Fadal CNC88HS Controls, 21-Station ATC, CAT-40 Taper Spindle, 10,000 RPM, 28" Extended "Z" Axis, Rigid Tapping, High Speed CPU, Graphics, 422k Memory Expansion, Coolant.

Fadal VMC4020HT 4-Axis CNC Vertical Machining Center s/n 9205230 w/ Fadal CNC88 Controls, 30-Station ATC, 40-Taper Spindle, 10,000 RPM,




Reed A22B Thread Rolling Machine

# NITROGEN GENERATOR AND OPTI VENN WATER PURIFICATION

## \$350,000 REPLACEMENT VALUE



2022 Atlas Copco NGP240+ Nitrogen Generator.



## \$250,000 REPLACEMENT VALUE

Aquafine (NEW SYSTEM) "OptiVenn" Water Purification System Type 08DTL system p/n OPV-52870-08DTL02F3VN121100NU s/n 010041753-10-01 w/ Evoqua System Control w/ Mettler Toledo M300 Digital Water Meter, UV Water Device with Aquafine Digital Monitoring System, TOC < 0.5ppm (< 500ppb), Bacteria < 100 CFU/mL, Conductivity < 1.3µS/cm @ 25 Deg C, Max Cap @ 20 Hr Day = 6,000 GPD (5.0 GPM @ 77 Deg F, Purified Water Tank, Pumps, Filters and Acces.

# GENERATOR

MUST SEE



Generac mdl. 8046620200 150 kW Diesel Generator w/ Generac Controls, 277/480V Cap, John Deere 6.8L Turbo Diesel Engine, 500 Gallon Tank.

### Misc CNC Machines :

5/2014 Amada / Miyachi Delta Series mdl. 98-050-01 CNC Laser Workstation s/n 14050203 w/ Amada LW50A-00-02 50 Watt Laser Source, Miyachi Controls, Computer, Acces.

6/2007 Amada / Miyachi Delta 5-Axis System mdl. 132967.5 CNC Laser Workstation s/n 07060139 w/ Amada LW50A-00-02 50 Watt Laser Source, Miyachi Controls, Computer, Acces.

2004 Haas GR-512 5' x 10' CNC Gantry Router s/n 38044 w/ Haas Controls, 10-Station ATC, CAT-40 Taper Spindle, 10,000 RPM, 20Hp Motor, Travels X=121", Y=61", Z=11", 59" x 146" Aluminum Top Plate.

2017 Agie Charmilles "Form 30" CNC Die Sinker EDM Machine s/n 395.900.219,0021 w/ Agie +GF+ Controls, 6-Station Tool Holder, Fire Suppression System, 12" x 18" Magnetic Chuck, Filtration System.

W.F. Wells W-914A CNC Horizontal Band Saw s/n A3330WA08112 w/ Wells CNC Controls, Pneumatic Clamping and Feed, Coolant.

Taylor Winfield mdl. 4041 3-Station Automated CNC Spot Welding Cell s/n 06068015 w/ Fanuc / Medweld 4000S MFDC Welding Control, 3-Station Carrousel.

### Robotic Forklifts :

(5 - NEW) 2021 Raymond 3030 Courier Automated Electric Lift Truck Stackers w/ 2500 Lb Cap, 72" Lift Height, Learns Up To 25 Miles of Routes, Seegrig Vision Guided Tech, Obstacle Avoidance, 24V Battery Chargers, Acces.

### Presses :

11/2020 Tung Yu TYC-50-E-PCD-UP 50-Ton Servo Driven Compression Molding Press s/n F429-2 w/ Monitouch Touch Screen Controls, 23 3/4" x 20" Between Posts, Video Monitoring.

1/2020 Tung Yu TYC-30-E-PCD-UP 30-Ton Servo Driven Compression Molding Press s/n F428-2 w/ Monitouch Touch Screen Controls, 23 3/4" x 17 1/4" Between Posts, Video Monitoring.

11/2020 Tung Yu TYC-50-E-PCD-UP 50-Ton Servo Driven Compression Molding Press s/n F429-1 w/ Monitouch Touch Screen Controls, 23 3/4" x 20" Between Posts.

### Lathes :

Hardinge HLV-H Wide-Bed Tool Room Lathe w/ Acu-Rite Master-TP Programmable DRO, 125-3000 RPM, Taper Attachment, Inch/mm Threading, Tailstock, Power Feeds, 5C Spindle, 6" 3-Jaw Chuck, Coolant.

Hardinge HLV-EM Wide Bed Tool Room Lathe w/ Sony DRO, 125-3000 RPM, Inch/mm Threading, Tailstock, Power Feeds, Aloris Tool Post, 5C Spindle, Coolant.

Takisawa TSL-Deluxe Type 1000CD 14" x 14" Geared Head - Gap Bed Lathe s/n NT88070021 w/55-1800 RPM, Inch/mm Threading, Change Gears, Tailstock, Steady Rest, Trava-Dial, 8" 3-Jaw Chuck, 5C Collet Closer, Coolant.

Takisawa / Webb TSL-800D 14" x 32" Geared Head - Gap Bed Lathe s/n BMA800217H w/ 55-1800 RPM, Inch/mm Threading, Change Gears, Tailstock, Steady Rest, Trava-Dial, KDK Tool Post, 8" 3-Jaw Chuck, 5C Collet Closer.

# MATERIAL HANDLING AND FORKLIFTS

**NEW**



Raymond 3030 Courier Automated Electric Lift Truck Stackers \*\*\*\*5-AVAILABLE\*\*\*

**5 AVAILABLE**



2021 Raymond 3030 Courier Automated Electric Lift Truck Stackers (NEW) w/ 2500 Lb Cap, 72" Lift Height, Learns Up To 25 Miles of Routes, Seegrig Vision Guided Tech

**15,500 LB CAP**



1 of 2) Hyster S155XL , 15,500 LPG Forklift, 3 Stage, Side Shift, 8Ft Forks.

**15,500 LB CAP**



1 of 2) Hyster S155XL , 15,500 LPG Forklift, 3 Stage, Side Shift, 8Ft Forks.

## Mills :

2004 Sharpe LMV-50 Vertical Mill s/n 30228067 w/ Mitutoyo KA Counter Programmable DRO, 3Hp Motor, Dial Change RPM with Digital Readout, A&T Power Draw-Bar, Chrome Ways, Power Feed, 9" x 48" Table.  
 Bridgeport Series 1 - 2Hp Vertical Mill s/n 241960 w/ Mitutoyo KA Counter Programmable DRO, 60-4200 Dial Change RPM, Chrome Ways, Power Feed, 9" x 42" Table.  
 (3) Bridgeport Series 1 - 2Hp Vertical Mills w/ 60-4200 Dial Change RPM, Power Feed, 9" x 42" Table.  
 Bridgeport Vertical Mill w/ Mitutoyo DRO, 1.5Hp Motor, 60-4200 Dial Change RPM, Power Feed, 9" x 42" Table.  
 Bridgeport Vertical Mill s/n 134216 w/ 1.5Hp Motor, 60-4200 Dial Change RPM, Power "X" and "Y" Feeds, Chrome Ways, 9" x 42" Table.  
 Bridgeport Vertical Mill w/ 60-4200 Dial Change RPM, Power "X", "Y" and Knee Feeds, 9" x 42" Table (NEEDS WORK).

## Grinders :

Blanchard 22D-42 42" Blanchard Grinder s/n 1472 w/ 42" Electromagnetic Chuck, 22" Grinding Head, Coolant.  
 Okamoto ACC-124N 12" x 24" Automatic Surface Grinder s/n 719 w/ Okamoto Controls, Wheel Dresser, 12" x 24" Electromagnetic Chuck.  
 MHT Mitsui MSG-200MH 6" x 12" Surface Grinder s/n 85045729 w/ Heidenhain DRO, Wheel Dresser, Walker Magnetic Chuck.  
 Harig Super 612 6" x 12" Surface Grinder w/ Walker Magnetic Chuck.

## Water Purification :

Aquafine (NEW SYSTEM) "OptiVenn" Water Purification System Type 08DTL system p/n OPV-52870-08DTL02F3VN121100NU s/n 010041753-10-01 w/ Evoqua System Control w/ Mettler Toledo M300 Digital Water Meter, UV Water Device with Aquafine Digital Monitoring System, TOC < 0.5ppm (< 500ppb), Bacteria < 100 CFU/mL, Conductivity < 1.3µS/cm @ 25 Deg C, Max Cap @ 20 Hr Day = 6,000 GPD (5.0 GPM @ 77 Deg F, Purified Water Tank, Pumps, Filters and Acces.

## Support :

Generac mdl. 8046620200 150 kW Diesel Generator s/n 2093370 w/ Generac Controls, 277/480V Cap, Jonn Deere 6.8L Turbo Diesel Engine, 500 Gallon Tank.  
 2022 Atlas Copco NGP240+ Nitrogen Generator s/n NLY002321 w/ 0.705 m3 Volume.  
 2021 Atlas Copco GA 11VSD+FF 15Hp Rotary Air Compressor s/n AP1276114 w/ Digital Controls, 68.9 CFM @ 185 PSIG.  
 Ingersoll Rand UP6-10-125 10Hp Rotary Air Compressor s/n CBV615264 w/ Ingersoll Controls, 80 Gallon Tank.  
 Quincy QGV-30 30Hp Variable Speed Rotary Air Compressor w/ Quincy Digital Controls.  
 (2) Fanuc 6-Axis CNC Robotic Manipulators.  
 Miller Arc Welders.  
 Reed A22B Thread Rolling Machine s/n 2045.  
 Advanced Power and Controls mdl. SMG031K5433LH Frequency Inverter s/n S5039 w/ 37Hp 208v 60Hz Input to 31kVA 220/380VAC, 24.8kW 50Hz Output (SOLD AS-IS - NO WARRANTY)  
 Rotex 18-A 18-Station Turret Punch Press s/n 11524 w/ Rolling Stand.  
 Lexair Inc. 5C Collet Hydraulic Work Holding Stations w/ (6) 3-Station Collet Blocks, Hytec 5000 PSI Hydraulic Power Unit.

## Inspection :

2007 Brown & Sharpe ONE 7.10.7 CMM Machine s/n 0607-7135 w/ Renishaw MH20i Probe Head, Joystick Controller, Computer and Acces.  
 Dea Scirocco Slant-Bridge CMM Machine s/n 2009071107 w/ Renishaw PH10MQ Probe Head.



**AMERICAN AUCTIONEER**  
GROUP

PLEASE CONTACT  
FOR AUCTION ASSET  
EVALUATIONS & PLANNING

**818-763-2021**



BID ON BIDSPOTTER.COM

**TERMS OF SALE:** CASH OR CASHERS CHECK  
ONLY. 1% BUYERS PREMIUM ON ALL  
PURCHASES \$50000+ REASONABLE CASH DEPOSIT.  
25% CASH DEPOSIT TOWARDS ALL PURCHASES.  
ALL SALES ARE SUBJECT TO CALIFORNIA SALES  
TAX. THERE WILL BE NO EXCEPTIONS.

BID LIVE OR VIA WEBCAST



**TERMS AND CONDITIONS**  
ALL ITEMS ARE SOLD AS-IS / WHERE-IS  
NO GUARANTEES, OR WARRANTIES ARE APPLIED  
ALL ITEMS MUST BE PICKED UP BY  
SPECIFIED DATE



**PARTIAL & ABBREVIATED TERMS AND CONDITIONS OF AUCTION**

ALL TERMS AND CONDITIONS BEHIND THE BIDDERS CARD SUPPLIED WILL APPLY TO ALL AUCTION SALE ITEMS AND FOR ALL PRIVATE NEGOTIATIONS. BY PARTICIPATING AND BIDDING AT AUCTION YOU ARE LEGALLY BINDING A CONTRACT WITH THE AUCTION COMPANY.

ALL INVOICES MUST BE PAID WITHIN 24 HOURS FROM AUCTION DATE. IT IS PROHIBITED TO BID ON ANY ITEM THAT CANNOT BE PAID IN FULL WITHIN 24 HOURS FROM AUCTION DATE. PAYMENTS MUST BE CASHIERS CHECK, WIRE TRANSFER, OR LETTER OF GUARANTEE FROM BANK. ALL ITEMS MUST BE REMOVED BY FEBRUARY 27, 2026 3:00 PM (PST) NO LOADING OR PICK UP ON SATURDAY AND SUNDAY. NO LOADING BY AUCTIONEER OR SELLER. BUYERS PREMIUM 18% FOR ALL ONLINE BIDDING ON BIDSPOTTER.COM. AUCTIONEER IS NOT RESPONSIBLE FOR MIS IDENTIFICATION OF ANY EQUIPMENT OR ASSETS BEING SOLD AT AUCTION EITHER BY VERBAL OR WRITTEN. IT IS THE BUYER'S RESPONSIBILITY TO INSPECT THE GOODS AND ASCERTAIN IF THE SPECIFICATIONS, DESCRIPTIONS AND CONDITION OF THE GOODS CONFORM TO THE BUYER'S REQUIREMENT INCLUDING SERIAL NUMBERS.

BUYER ACKNOWLEDGES THAT THE EQUIPMENT OR ITEMS PURCHASED ONCE MAY HAVE CONTAINED, EXPOSED TO, AND OR UTILIZED HAZARDOUS MATERIAL. THERE MAY BE SURFACES ON ITEMS WHERE DECONTAMINATION CANNOT BE VALIDATED: AS SUCH, THE BUYER OR BIDDER ACKNOWLEDGING THAT THEY ARE ACCEPTING THIS EQUIPMENT OR ITEMS IN AN "AS IS" CONDITION.

BUYER AND THEIR ASSOCIATES WILL HOLD AUCTIONEER AND "THE SELLER" HARMLESS AGAINST ANY AND ALL CLAIMS AND ACTIONS ARISING OUT OF THE PARTICIPATION OF THE INDEMNITEE IN THE ACTIVITY, INCLUDING, WITHOUT LIMITATION, EXPENSES, JUDGEMENTS, FINES, SETTLEMENTS AND OTHER AMOUNTS INCURRED IN CONNECTION WITH ANY LIABILITY, SUIT, ACTION, LOSS, OR DAMAGE ARISING OR RESULTING FROM THE INDEMNITEE'S PARTICIPATION IN THE AUCTION. ALL BIDDERS MUST ONLY USE APPROVED MACHINERY MOVERS BY SELLER WITH LIABILITY INSURANCE OF \$2,000,000 OR HIGHER. NO ITEMS SHALL BE REMOVED UNLESS PAID IN FULL AND ALL ITEMS SHALL BE REMOVED IN THE TIME ALLOCATED BY THE AUCTIONEER.

ALL SALES ARE FINAL, AND ALL ITEMS ARE SOLD AS IS WHERE IS, WITH ALL FAULTS AND DEFECTS.

THERE ARE NO GUARANTEE OR WARRANTY TO ANY ITEMS SOLD (RE: MAKE, MODEL, YEAR, HOURS, MILES, OR MERCHANTABILITY BY AUCTIONEER OR SELLER). BUYERS RESPONSIBILITY TO INSURE PROPER USE FOR SAFETY.

ALL ITEMS ARE SOLD AS "PARTS ONLY" BUYER ACKNOWLEDGES THAT THE GOODS ARE PRE-OWNED AND GOODS WERE NEITHER DESIGNED NOR MANUFACTURED BY SELLER. SELLER HAS NO KNOWLEDGE OF OR CONTROL OVER THE PRIOR USE OR MISUSE OF THE GOODS OR ANY MODIFICATIONS TO THE GOODS FOLLOWING ORIGINAL MANUFACTURE. NEITHER DOES SELLER HAVE KNOWLEDGE OR CONTROL OVER THE APPLICATION OF THE GOODS BY BUYER. IT IS THE BUYER'S SOLE RESPONSIBILITY TO PROVIDE PROPER SAFETY DEVICES, EQUIPMENT AND INSTRUCTIONS FOR ANY PARTICULAR USE OR TAKE NECESSARY STEPS TO CONFORM THE GOODS AND OPERATION THEREOF TO ALL FEDERAL, STATE OR LOCAL GOVERNMENT SAFETY STANDARDS AND LAWS INCLUDING WITHOUT LIMITATION THE OCCUPATIONAL SAFETY AND HEALTH ACT OF "OSHA". ANNOUNCEMENTS MADE BY THE AUCTIONEER ON THE DAY OF THE AUCTION TAKE PRECEDENCE OVER ANY PREVIOUS PRINTED MATERIAL PERTAINING TO THIS AUCTION. AUCTIONEER RESERVES THE RIGHT TO REMOVE OR ADD TO ANY AUCTION ITEMS ON THE LIST UNTIL AUCTION TIME.



**LIVE WEBCAST ONLINE ONLY NO ONSITE BIDDING**  
**FEBRUARY 18, 2026**