

AMERICAN AUCTIONEERS
— GROUP —
1146 N Central Avenue #535
Glendale, California 91202
Phone:
818-763-2021
WWW.AAGAUCTION.COM

PUBLIC AUCTION

AUCTION DATE:
TUESDAY SEPTEMBER 29, 2026
STARTING @ 10:30 AM. (PST)



AUCTION LOCATION:
3235 EXECUTIVE RIDGE. VISTA, CA

PRECISION “MAZAK” CNC MACHINING FACILITY



Hyd-Mech H-14A Fully Enclosed Automatic Horizontal Band Saw, 14”X14” Cutting Capacity, 13.6HP, 49-380 SFM Variable Speed, 15’2” x 1’25” Blade, Elevation TS 50 Controls, s/n 5-09-17-217-SB

Inspection : Monday September 28th from 9:00am to 3:00pm.
“Live Webcast Online Only – No Onsite Bidding”.
“Bidding thru Bidspotter.com”.

PRESORTED
Standard Mail
U.S. Postage
PAID
STA CLARITA, CA
Permit No. 298

“65,000 SQ/FT” STATE OF THE ART MFG FACILITY



Mazak CNC Turning Centers



2017 Mazak Quick Turn Universal 250M CNC Lathe, 8” Chuck, 27.4” Max Swing, 13.6” Max Turning Length, 2.6” Bar Capacity, 20 HP, 4500 RPM Max Spindle Speed, 12 Position Live Tooling Turret, Tail Stock, s/n 279803, Mazatrol Smooth HC Control, Chip Conveyor, s/n A 170659-4



1 of 2) 2017 Mazak Quick Turn Primos 100 S CNC Lathe, 5C Collet Spindle, 17.48” Max Swind, 7’87 Max Turning Length, Travels X-Axis 4.3” Z-Axis 9.4”, 12HP, 5000 RPM Spindle Speed, 8 Position Turret, Tail Stock, s/n 282146, Mazatrol Smart Controls, w/ Bar Feed.

"MAZAK" CNC MACHINING AND TURNING



2003 Mazak Quick Turn Nexus 250M 3-Axis CNC Lathe, 10" Chuck, 26.5" Swing, Travels X-Axis 9" Z-Axis 22", 35HP, 4000RPM Max Spindle Speed, 12 Position Turret, Tail Stock, s/n 167034, Mazatrol 640T Nexus Controls, w/ Jorgensen Chip Conveyor s/n A031116-1



2017 Mazak Quick Turn Primos 100 S CNC Lathe, 5C Collet Spindle, 17.48" Max Swind, 7'87" Max Turning Length, Travels X-Axis 4.3" Z-Axis 9.4", 12HP, 5000 RPM Spindle Speed, 8 Position Turret, Tail Stock, s/n 282146, Mazatrol Smart Controls, w/ Bar Feed.



1 of 3) Mazak Quick Turn Nexus 100-II CNC Lathe, 6" Chuck, 21.6" Max Swing, 17.9" Max Turning Length, Travels Z-Axis 7.25" X-Axis 17.9", 15HP, 6000RPM Max Spindle Speed, 12 Position Turret, Tail Stock, Mazatrol Matrix Nexus Controls, w/ Chip Conveyor



2017 Mazak Quick Turn Primos 100 S CNC Lathe, 5C Collet Spindle, 17.48" Max Swind, 7'87" Max Turning Length, Travels X-Axis 4.3" Z-Axis 9.4", 12HP, 5000 RPM Spindle Speed, 8 Position Turret, Tail Stock, s/n 282146, Mazatrol Smart Controls, w/ Bar Feed.



2017 Mazak Quick Turn Universal 250M CNC Lathe, 8" Chuck, 27.4" Max Swing, 13.6" Max Turning Length, 2.6" Bar Capacity, 20 HP, 4500 RPM Max Spindle Speed, 12 Position Live Tooling Turret, Tail Stock, s/n 279803, Mazatrol Smooth HC Control, Chip Conveyor, s/n A 170659-4



"MAZAK" CNC MACHINING & TURNING



2000 Mazak FH-4800 Horizontal Milling Machine, Travels 22"x24"x22" (XYZ), (2) 15.75" x 15.75" Pallets, 30HP, 12000RPM Max Spindle Speed, 120 ATC, CAT-40 Taper, s/n 1509084, Mazatrol 640M Controls, w/ Barnes RDC-3-024H Chip Conveyor, s/n RD 1948 - 1 of 3



1 of 2 Mazak FH-4800 Horizontal Milling Machine, Travels 22"x24"x22" (XYZ), (2) 15.75" x 15.75" Pallets, 30HP, 12000RPM Max Spindle Speed, 40 ATC, CAT-40 Taper, s/n 142662, Mazatrol 640M Controls, w/ Chip Conveyor, s/n 99M5167



Mazak Quick Turn 250 HP CNC Lathe, 10' Chuck, 24" Max Swing, 13.78" - 14'96" Max Turning Diamenter, Travels X-Axis 8'5" Z-Axis 10" x 22", 35HP, 4000RPM Max Spindle Speed, 12 Position Turret, Tail Stock, s/n 148635, Mazatrol 640T Control, w/ Mazak Flex-GL50N Gantry Robotic Loader System s/n U9814, w/ Jorgensen Chip Conveyor s/n A-000991-1



2002 Maier ML20 CNC Lathe, Twin Spindle Setup, Multi-Axis Configuration, Main Spindle; 0.787" Max Bar Capacity, 8000 RPM, Counter Spindle; 0.787" Max Bar Capacity, 8000 RPM, s/n 02 204, Fanuc 160i-T Controls, w/ Turbo Systems Chip Conveyor

FEATURING

1988 Mazak Quick Turn 25 CNC Lathe, 12" Chuck, 20" Max Swing, Travels X-Axis 7'86", Z-Axis 39.78, 25HP, 3600RPM Max Spindle Speed, 12 Position Turret, Tail Stock, s/n 76304, Mazatrol CAM T-2 Controls, w/ Jorgensen Chip Conveyor s/n A-881541-1

Mazak Quick Turn 250 HP CNC Lathe, 10' Chuck, 24" Max Swing, 13.78" - 14'96" Max Turning Diamenter, Travels X-Axis 8'5" Z-Axis 10" x 22", 35HP, 4000RPM Max Spindle Speed, 12 Position Turret, Tail Stock, s/n 148635, Mazatrol 640T Control, w/ Mazak Flex-GL50N Gantry Robotic Loader System s/n U9814, w/ Jorgensen Chip Conveyor s/n A-000991-1
3502 show with 3501

1 of 3) Mazak Quick Turn Nexus 100-II CNC Lathe, 6" Chuck, 21.6" Max Swing, 17.9" Max Turning Length, Travels X-Axis 7.25" Z-Axis 17.9", 15HP, 6000RPM Max Spindle Speed, 12 Position Turret, Tail Stock, Mazatrol Matrix Nexus Controls, w/ Chip Conveyor

1993 Mazak Quick Turn 15N CNC Lathe, 8" Chuck, 17.32" Max Swing, 20" Max Turning Length, Travels X-Axis 7.09" Z-Axis 20.08", 20HP, 4500RPM Max Spindle Speed, 8 Position Turret, Tail Stock, s/n 108068, Mazatrol T32-2 Controls, w/ Jorgensen Chip Conveyor s/n J-93615-1

2007 Mazak Quick Turn Nexus 250-II CNC Lathe, 10" Chuck, 26.5" Swing, 22.7" Max Turning Length, Travels 7.5" 1'97" 22" (XYZ), 35HP, 4000RPM Max Spindle Speed, 12 Position Turret, Tail Stock, s/n 199606, Mazatrol Matrix Nexus Controls, w/ Jorgensen Chip Conveyor s/n A-071263-7

3506) 2003 Mazak Quick Turn Nexus 250M 3-Axis CNC Lathe, 10" Chuck, 26.5 Swing, Travels X-Axis 9" Z-Axis 22", 35HP, 4000RPM Max Spindle Speed, 12 Position Turret, Tail Stock, s/n 167034, Mazatrol 640T Nexus Controls, w/ Jorgensen Chip Conveyor s/n A031116-1

Mazak Quick Turn 10N ATCm/c CNC Turning & Milling Center, 5" Chuck, 17.3" Swing, 21" Max Turning Length, Travels X-Axis 5.9" Z-Axis 21", 20HP, 3600RPM Max Spindle Speed, 8-30 Tool ATC/Turret, Tail Stock, Mazatrol CAM T-3 Controls, w/ Mazak Chip Conveyor

Mazak Quick Turn 8N CNC Lathe, 3J Collet Spindle, 11'81" Swing, 11.9" Max Turning length, Travels X-Axis 3'75" Z-Axis 11.22", 7.5HP, 6000RPM Max Spindle Speed, 8 Position Turret, Tail Stock, Mazatrol T32-2 Controls w/ LNS Hydrobar Bar Feed, w/ Jorgensen hip Conveyor s/n J-89151-1
3519) IZPE RSC-200 Thread Roller.

MSC Vertical Mill, 9"x49" Table, 2HP, Model 951712, s/n 771853, w/ Anilam DRO

3733) (1 of 2) Barber Coleman Gear Hobbers
2000 Excel PMC-5T18 3-Axis CNC Vertical Milling Machine, Travels 20" x 16" x 18" (XYZ), 27.5" x 17" table, 7.5HP, 8000RPM Max Spindle Speed, 18 ATC, BT-40 Taper, s/n ES5T1610, Fanuc 21-M Controls

Yang SMV-600 3-Axis CNC Vertical Machining Center, Travels 23.5" x 16" x 20" (XYZ), 14" x 29.5" Table, 10HP, 6000 RPM Spindle Speed, 16 ATC, CAT-40 Taper, s/n No Tag, Mitsubishi Controls

2008 Haas Super Mini Mill 2 4-Axis Compatible CNC Vertical Milling Machine, Travels 20" x 16" x 14" (XYZ), 40" x 14" Table, 15HP, 10000 RPM Max Spindle Speed, 10 ATC 40 Taper, w/ 4th Axis 5C Collet Indexer, s/n 1071623, Haas Controls

PRECISION CNC MACHINING & GRINDING



1 of 2) Hardinge / Bridgeport V710 3-Axis CNC Vertical Milling Machine, Travels 27"x15"x16" (XYZ), 31.5"x15" Table, 10HP, 10000RPM Max Spindle Speed, 20 ATC, Fanuc 0I-MF Controls



Clausing CGS-1640ASDII 3-Axis Automatic Surface Grinder, 16" x 40" Capacity, 7.5HP, 1750 RPM Spindle Speed, w/ 16" x 40" Magnetic Chuck

FEATURING

Sunnen MBB-1660 Honing Machine, s/n 80076
 Wimmer 20 Ton H-Frame Press
 Brown & Sharpe Horizontal Mill
 DoAll 3612-2H3 Vertical Band Saw, 36" Throat, 12" Work Height, 125" Blade, W/ Blade Welder, s/n 401-79116
 Webb 15X40 Engine Lathe, 10" 3-Jaw Chuck, Quick Change Tool Post, 5HP
 Webb 15X40 Engine Lathe, 10" 3-Jaw Chuck, Quick Change Tool Post, 5HP
 Charmilles Technologies Robofil 2020 CNC Wire EDM, 12"x8"x4.5" XYZ Travels, 39" X19"x10" Tank Size, 0.10 - 0.25 Wire Diameter Range, s/n 123008
 1989 Top EDM TP-50 Sinker EDM, 15"x12" XY Travels, 38"x19"x10" Tank Size, s/n ADP-8902NU
 Ingersoll-Rand SSR-EP155E Rotary Screw Air Compressor, 56CFM, 125PSIG, 15HP, s/n KE0249U94227, w/ Vertical Air Tank and Air Dryer
 1996 Leadwell T-5 CNC Lathe, 16C Collet Spindle, 12.99" Swing, 5.35" Max Turning Length, Travels X-Axis 9" Z-Axis 9", 10HP, 45-4500 RPM Spindle Speed, No Tail Stock, Grinder Attachment, Fanuc 0-tD Controls, s/n L2SIH0134
 XLO Bryant 2CH Centerless Grinder, 1/8" - 3" Dia. Workpiece Capacity Infeed, 1/16" - 3" Dia. Workpiece Capacity Thru Feed, 8" Wheel Width Max. / s/n H-1485
 Hyd-Mech H-14A Fully Enclosed Automatic Horizontal Band Saw, 14"x14" Cutting Capacity, 13.6HP, 49-380 SFM Variable Speed, 15'2" x 1'25" Blade, Elevation TS 50 Controls, s/n 5-09-17-217-SB
 Hyd-Mech H-14 Horizontal Band Saw, 14"x14" Cutting Capacity, 5HP, 400 FPM Blade Speed, s/n 50599081
 1 of 2) 2017 Mazak Quick Turn Primos 100 S CNC Lathe, 5C Collet Spindle, 17.48" Max Swind, 7'87" Max Turning Length, Travels X-Axis 4.3" Z-Axis 9.4", 12HP, 5000 RPM Spindle Speed, 8 Position Turret, Tail Stock, s/n 282146, Mazatrol Smart Controls, w/ Bar Feed.
 2017 Mazak Quick Turn Primos 100 S CNC Lathe, 5C Collet Spindle, 17.48" Max Swind, 7'87" Max Turning Length, Travels X-Axis 4.3" Z-Axis 9.4", 12HP, 5000 RPM Spindle Speed, 8 Position Turret, Tail Stock, s/n 282146, Mazatrol Smart Controls, w/ Bar Feed.
 1985 TMC 1000 Deluxe Engine Lathe, 7" Chuck, 14"x40" Capacity, s/n 851060
 Bridgeport Torq-Cut 3 3-Axis CNC Vertical Machining Center, Travels 30" x 16" x 20" (XYZ), 14"x36" Table, 7.5HP, 8000 RPM Spindle Speed, 22 ATC, BT-40 Taper, s/n D8M97
 2002 Maier ML20 CNC Lathe, Twin Spindle Setup, Multi-Axis Configuration, Main Spindle; 0.787" Max Bar Capacity, 8000 RPM, Counter Spindle; 0.787" Max Bar Capacity, 8000 RPM, s/n 02 024, Fanuc 160i-T Controls, w/ Turbo Systems Chip Conveyor
 Kodak Model 30 Contour Projector, 30" Screen, 7" x 27" Table, s/n 1802 w/ Quadra-Chek II XY DRO
 Giddings & Lewis Discovery D-8 Bridge Style CMM, Travels 20" x 24" x 16", Renishaw PH9 w/ TP6 Touch Trigger Probe, 22" x 26" Table, s/n P-0042-1297
 Chevalier FGS-1628TXII 3-Axis Automatic Surface Grinder, 16" x 28" Capacity, Travels 31" x 18", 5HP, 3450 RPM Spindle, s/n S3269001 w/ Chevalier ELC-4070C 16" x 28" Magnetic Chuck, s/n 9702164
 MSC SGS-1230 AHD 3-Axis Automatic Surface Grinder, 12" x 30" Capacity, Travels 33" x 13", 5HP, 1750 RPM Spindle Speed, s/n 568001, w/ Kanetsu KET-302 12" x 28" Magnetic Chuck, s/n 19412084
 3516) Clausing CGS-1640ASDII 3-Axis Automatic Surface Grinder, 16" x 40" Capacity, 7.5HP, 1750 RPM Spindle Speed, w/ 16" x 40" Magnetic Chuck
 Bridgeport 815 Surface Grinder, 8" x 15" Capacity, Travels 16" x 8.5", 1.5HP, w/ 8" x 15" Magnetic Chuck
 Supertec G20P-50CNC Universal Grinder, 8" Swing Over Table 20" Between Centers 8" Max Grinding Diameter, 5HP, 50-500 RPM Spindle Motor, MT3 Taper, s/n GCF10002
 1988 Kao Ming Supermax KM-40S Universal Tool Cutter Grinder, 10" Swing Over Table, 27" Between Tailstocks, 16" x 10" Travels, 12" Max Distance Spindle Center to Table, 1HP, 2600 - 6200 RPM Spindle Speeds, s/n 3085
 Sav-Way Dual Spindle ID Grinder
 Central Machinery T5907 30" Shear Press Brake and Sliproll
 3518) National Sheet Metal Machines NH5216 Hydraulic Shear, 52" X 16 Ga. Capacity, Manual Back gauge, Foot Control, s/n 529-394



2000 Excel PMC-5T18 3-Axis CNC Vertical Milling Machine, Travels 20"x16"x18" (XYZ), 27.5" x 17" table, 7.5HP, 8000RPM Max Spindle Speed, 18 ATC, BT-40 Taper, s/n ES5T1610, Fanuc 21-M Controls



2000 Excel PMC-10T24 3-Axis CNC Vertical Milling Machine, Travels 40"x20"x24" (XYZ), 19"x40" Table, 14.7HP, 10000RPM Max Spindle Speed, 24 ATC, CAT-40 Taper, s/n ES10T2331, Fanuc 21-M Controls

"HAAS" CNC MACHINING



2012 Haas 3-Axis Vertical Milling Machine, Travels 20"x16"x14" (XYZ), 40" x 14" Table, 15HP, 10000RPM Max Spindle Speed, 10 ATC 40 Taper, s/n 1099209, Haas Controls



2008 Haas Super Mini Mill 2 4-Axis Compatible CNC Vertical Milling Machine, Travels 20"x16"x14" (XYZ), 40" x 14" Table, 15HP, 10000 RPM Max Spindle Speed, 10 ATC 40 Taper, w/ 4th Axis 5C Collet Indexer, s/n 1071623, Haas Controls



Webb 15X40 Engine Lathe, 10" 3-Jaw Chuck, Quick Change Tool Post, 5HP



Webb 15X40 Engine Lathe, 10" 3-Jaw Chuck, Quick Change Tool Post, 5HP.

TUMBLING AND FINISHING DEPARTMENT



Sweco Vibratory Tumbler.



Vibratory Tumbler



Vibratory Tumbler

PRECISION MACHINING AND SUPPORT



MUST SEE
Giddings & Lewis Discovery D-8 Bridge Style CMM, Travels 20" x 24" x 16", Renishaw PH9 w/ TP6 Touch Trigger Probe, 22"x 26" Table, s/n P-0042-1297



CNC
2004 Flow 713589-1 Compact 2' x 4' CNC Abrasive Waterjet Table, 48" X-Axis 24" Y-Axis, 55000 PSI, Flowmaster Flowcut Software, s/n 31589-1



Charmilles Technologies Robofil 2020 CNC Wire EDM, 12"x8"x4.5" XYZ Travels, 39" X19"X10" Tank Size, 0.10 - 0.25 Wire Diameter Range, s/n 123008



1 of 2
(1 of 2) Barber Coleman Gear Hobbers



20 TON
Wysong H2052, 52" x 20 Ton Hydraulic Press Brake.

FEATURING

Supertec G20P-50CNC Universal Grinder, 8" Swing Over Table 20" Between Centers 8" Max Grinding Diameter, 5HP, 50-500 RPM Spindle Motor, MT3 Taper, s/n GCF10002

1988 Kao Ming Supermax KM-40S Universal Tool Cutter Grinder, 10" Swing Over Table, 27" Between Tailstocks, 16" x 10" Travels, 12" Max Distance Spindle Center to Table, 1HP, 2600 - 6200 RPM Spindle Speeds, s/n 3085 Sav-Way Dual Spindle ID Grinder

Central Machinery T5907 30" Shear Press Brake and Sliproll

3518) National Sheet Metal Machines NH5216 Hydraulic Shear, 52" X 16 Ga. Capacity, Manual Back gauge, Foot Control, s/n 529-394

US Electrical Tool Co 103VS Pedestal Grinder, 7.5HP, 1500 - 3000 PRM Dbl. Ended, s/n 591909

Delta 6" 1/4HP Dbl. Ended Pedestal Grinder

Apex 16" Disc Grinder

Square Deal Machine Co Model 13 Pedestal Grinder / Buffer, Dbl. Ended, s/n 116

Burr King Vertical Belt Sander

Avey Torque Matic Gun drill

Auto Cycle Boring Machine, Dual Spindle, 12" x 12" Table

1993 AB Lasers / Baasel Lasertec LBI 6000 Continuous Wave Marking & Micro-Machining System, Lamp-Pumped Q-Switched Nd: YAG Laser Type, 1064 nm Infrared Wavelength, 40W Max Power, s/n 600372

2000 AB Lasers / Baasel Lasertec Live Starmark Flashlamp-Pumped Solid-State Nd: YAG Laser Marking System, 1064 nm Wavelength, Continuous Wave & Q-Switched, s/n SMY090-A0018-09339, w/ Arctic 434 Chiller, s/n 380001 869994

Nissan CHF03 8000# Capacity LPG Forklift, 2 Stage Mast, 60" Forks, Cushion Tires, s/n CHF03-000124

Yale ERC030ABN36SF092 3000# Capacity Electric Forklift, 3 Stage Mast, Side Shift, 42" Forks, Cushion Tires, 36 Volt, s/n N439158

Big Joe Electric Powered Lift Walk-Behind Stackers

Grove PM36DC 36' Self Propelled Vertical Mast Work Platform

Sweco Vibratory Tumbler.

Vibratory Tumbler

Vibratory Tumbler

Wysong H2052, 52" x 20 Ton Hydraulic Press Brake.

2004 Flow 713589-1 Compact 2' x 4' CNC Abrasive Waterjet Table, 48" X-Axis 24" Y-Axis, 55000 PSI, Flowmaster Flowcut Software, s/n 31589-1

Nissan CHF03 8000# Capacity LPG Forklift, 2 Stage Mast, 60" Forks, Cushion Tires, s/n CHF03-000124

Barrett Centrifuge Chip Spinner Wringer.

PRECISION GRINDING AND SAW CUTTING




Hyd-Mech H-14A Fully Enclosed Automatic Horizontal Band Saw, 14"x14" Cutting Capacity, 13.6HP, 49-380 SFM Variable Speed, 15'2" x 1'25" Blade, Elevation TS 50 Controls, s/n 5-09-17-217-SB



Hyd-Mech H-14 Horizontal Band Saw, 14"x14" Cutting Capacity, 5HP, 400 FPM Blade Speed, s/n 50599081



Supertec G20P-50CNC Universal Grinder, 8" Swing Over Table 20" Between Centers 8" Max Grinding Diameter, 5HP, 50-500 RPM Spindle Motor, MT3 Taper, s/n GCF10002



XLO Bryant 2CH Centerless Grinder, 1/8" - 3" Dia. Workpiece Capacity Infeed, 1/16" - 3" Dia. Workpiece Capacity Thru Feed, 8" Wheel Width Max. / s/n H-1485



Neisei FN1000 Injection Molding Machine 90 Ton Injection Molding Machine, 3.2 Oz Shot, 21.4" x 21.4" Platen Size, 18.5" Clamp Stroke, s/n S08U126



IZPE RSC-200 Thread Roller.

PUBLIC AUCTION



Nissan CHF03 8000# Capacity LPG Forklift, 2 Stage Mast, 60" Forks, Cushion Tires s/n CHF03-000124



Overhead Crane System with Electric Hoist.



Ingersoll-Rand SSR-EP155E Rotary Screw Air Compressor, 56CFM, 125PSIG, 15HP, s/n KE0249U94227, w/ Vertical Air Tank and Air Dyrer



National Sheet Metal Machines NH5216 Hydraulic Shear, 52" X 16 Ga. Capacity, Manual Back gauge, Foot Control, s/n 529-394



Barrett Centrifuge Chip Spinner Wringer.

	BID ON BIDSPOTTER.COM	TERMS OF SALE: CASH OR CASHIER'S CHECK ONLY. 10% BUYER'S PREMIUM ON ALL PURCHASES \$500.00 REFUNDABLE CASH DEPOSIT. 20% CASH DEPOSIT TOWARDS ALL PURCHASES. ALL SALES ARE SUBJECT TO CALIFORNIA SALES TAX. THERE WILL BE NO EXCEPTIONS.	BID LIVE OR VIA WEBCAST	TERMS AND CONDITIONS ALL ITEMS ARE SOLD AS-IS / WHERE - IS NO GUARANTEES, OR WARRANTIES ARE APPLIED ALL ITEMS MUST BE PICKED UP BY SPECIFIED DATE	
--	-------------------------------------	---	---	---	--

PARTIAL & ABBREVIATED TERMS AND CONDITIONS OF AUCTION

ALL TERMS AND CONDITIONS BEHIND THE BIDDERS CARD SUPPLIED WILL APPLY TO ALL AUCTION SALE ITEMS AND FOR ALL PRIVATE NEGOTIATIONS. BY PARTICIPATING AND BIDDING AT AUCTION YOU ARE LEGALLY BINDING A CONTRACT WITH THE AUCTION COMPANY.

ALL INVOICES MUST BE PAID WITHIN 24 HOURS FROM AUCTION DATE. IT IS PROHIBITED TO BID ON ANY ITEM THAT CANNOT BE PAID IN FULL WITHIN 24 HOURS FROM AUCTION DATE. PAYMENTS MUST BE CASHIERS CHECK, WIRE TRANSFER, OR LETTER OF GUARANTEE FROM BANK.
ALL ITEMS MUST BE REMOVED BY OCTOBER 9, 2026 3:00 PM (PST)
NO LOADING OR PICK UP ON SATURDAY AND SUNDAY.
NO LOADING BY AUCTIONEER OR SELLER.
BUYERS PREMIUM 18% FOR ALL ONLINE BIDDING ON BIDSPOTTER.COM.
AUCTIONEER IS NOT RESPONSIBLE FOR MIS IDENTIFICATION OF ANY EQUIPMENT OR ASSETS BEING SOLD AT AUCTION EITHER BY VERBAL OR WRITTEN. IT IS THE BUYER'S RESPONSIBILITY TO INSPECT THE GOODS AND ASCERTAIN IF THE SPECIFICATIONS, DESCRIPTIONS AND CONDITION OF THE GOODS CONFORM TO THE BUYER'S REQUIREMENT INCLUDING SERIAL NUMBERS.

BUYER ACKNOWLEDGES THAT THE EQUIPMENT OR ITEMS PURCHASED ONCE MAY HAVE CONTAINED, EXPOSED TO, AND OR UTILIZED HAZARDOUS MATERIAL. THERE MAY BE SURFACES ON ITEMS WHERE DECONTAMINATION CANNOT BE VALIDATED: AS SUCH, THE BUYER OR BIDDER ACKNOWLEDGING THAT THEY ARE ACCEPTING THIS EQUIPMENT OR ITEMS IN AN "AS IS" CONDITION.

BUYER AND THEIR ASSOCIATES WILL HOLD AUCTIONEER AND "THE SELLER" HARMLESS AGAINST ANY AND ALL CLAIMS AND ACTIONS ARISING OUT OF THE PARTICIPATION OF THE INDEMNITEE IN THE ACTIVITY, INCLUDING, WITHOUT LIMITATION, EXPENSES, JUDGEMENTS, FINES, SETTLEMENTS AND OTHER AMOUNTS INCURRED IN CONNECTION WITH ANY LIABILITY, SUIT, ACTION, LOSS, OR DAMAGE ARISING OR RESULTING FROM THE INDEMNITEE'S PARTICIPATION IN THE AUCTION.
ALL BIDDERS MUST ONLY USE APPROVED MACHINERY MOVERS BY SELLER WITH LIABILITY INSURANCE OF \$2,000,000 OR HIGHER. NO ITEMS SHALL BE REMOVED UNLESS PAID IN FULL AND ALL ITEMS SHALL BE REMOVED IN THE TIME ALLOCATED BY THE AUCTIONEER.
ALL SALES ARE FINAL, AND ALL ITEMS ARE SOLD AS IS WHERE IS, WITH ALL FAULTS AND DEFECTS.
THERE ARE NO GUARANTEE OR WARRANTY TO ANY ITEMS SOLD (RE: MAKE, MODEL, YEAR, HOURS, MILES, OR MERCHANTABILITY BY AUCTIONEER OR SELLER).
BUYERS RESPONSIBILITY TO INSURE PROPER USE FOR SAFETY.
ALL ITEMS ARE SOLD AS "PARTS ONLY"
BUYER ACKNOWLEDGES THAT THE GOODS ARE PRE-OWNED AND GOODS WERE NEITHER DESIGNED NOR MANUFACTURED BY SELLER. SELLER HAS NO KNOWLEDGE OF OR CONTROL OVER THE PRIOR USE OR MISUSE OF THE GOODS OR ANY MODIFICATIONS TO THE GOODS FOLLOWING ORIGINAL MANUFACTURE. NEITHER DOES SELLER HAVE KNOWLEDGE OR CONTROL OVER THE APPLICATION OF THE GOODS BY BUYER. IT IS THE BUYER'S SOLE RESPONSIBILITY TO PROVIDE PROPER SAFETY DEVICES, EQUIPMENT AND INSTRUCTIONS FOR ANY PARTICULAR USE OR TAKE NECESSARY STEPS TO CONFORM THE GOODS AND OPERATION THEREOF TO ALL FEDERAL, STATE OR LOCAL GOVERNMENT SAFETY STANDARDS AND LAWS INCLUDING WITHOUT LIMITATION THE OCCUPATIONAL SAFETY AND HEALTH ACT OF "OSHA". ANNOUNCEMENTS MADE BY THE AUCTIONEER ON THE DAY OF THE AUCTION TAKE PRECEDENCE OVER ANY PREVIOUS PRINTED MATERIAL PERTAINING TO THIS AUCTION. AUCTIONEER RESERVES THE RIGHT TO REMOVE OR ADD TO ANY AUCTION ITEMS ON THE LIST UNTIL AUCTION TIME.

	LIVE WEBCAST ONLINE ONLY NO ONSITE BIDDING SEPTEMBER 29, 2026 ~ AUCTION	
--	---	--