AMERICAN AUCTIONEERS
GROUP
1146 N Central Avenue #535
Glendale, California 91202
Phone:
818-763-2021
WWW.AAGAUCTION.COM

PUBLIC AUCTION

AUCTION DATE:
NOVEMBER 10, 2026
STARTING @ 11:00 AM. (MST)

AUCTION LOCATION:
21421 N. 14TH AVENUE, PHOENIX AZ

"HIGH TECH" PRECISION CNC MACHINING FACILTY



Promax CM-2 Tool and Cutter Grinder, s/n 1280

Inspection :Morning of sale from 8:00am to 11:00am.
"Live Webcast Online Only – No Onsite Bidding".
"Bidding thru Bidspotter.com".

PRESORTED
Standard Mail
U.S. Postage
PAID
STA CLARITA, CA
Permit No. 298

MICRO-PRECISION CNC MACHINING



2007 Yama Seiki VMB-1200 4-Axis CNC Vertical Milling Machine, 47.2" x 23.6" x 23.6" XYZ Travels, 23.5" x 51" Table, 15HP, 8000 RPM Spindle Speed, 30 ATC, CAT-40 Taper, s/n 7146, Fanuc 18i-MB Controls, w/ 2008 Kitagawa MR200RAE09 4th Axis CNC Rotary Table, s/n 081698





2007 Yama Seiki GA-2600 CNC Turning Center, 8.07" x 30" XZ Travels, 22.83" Max Swing, 13.77" Max Turning Diameter, 23.86" Max Turning Length, 8" 3-Jaw Chuck, 15HP, 40-4000 RPM Spindle Speeds, 12 Station Turret, s/n 91501, Fanuc Oi-TC Controls, Fonge X Chip Conveyor



2007 Yama Seiki GA-2600 CNC Turning Center, 8.07" x 30" XZ Travels, 22.83" Max Swing, 13.77" Max Turning Diameter, 23.86" Max Turning Length, 8" 3-Jaw Chuck, 15HP, 40-4000 RPM Spindle Speeds, 12 Station Turret, s/n 91501, Fanuc Oi-TC Controls, Fonge X Chip Conveyor

PRECISION MACHINING & PHOTOTYPE



1997 Supermax YCM-TC-26 CNC Turning Center, 9.84" x 27.5" XZ Travels, 19'69" Max Swing, 18.5" Max Turning Diameter, 25.47" Max Turning Length, 12' 3-Jaw Chuck, 20HP, 4000 RPM Spindle Speed, 12 Station Turret, s/n 91564, Fanuc O-T Controls, Fonge X Chip Conveyo

AMERICAN AUCTIONEERS GROUP



Large Selection of CT-40 CNC Holders.

AUTO



Cosen AH-260C Horizontal Bandsaw, 10" Cutting Capacity, 2HP, 1.25" x .04" x 163" Blade



Partial View of CNC Nose Pieces.

LIKE NEW



Promax CM-2 Tool and Cutter Grinder, s/n 1280

2007 Yama Seiki VMB-1200 4-Axis CNC Vertical Milling Machine, 47.2" x 23.6" x 23.6" XYZ Travels, 23.5" x 51" Table, 15HP, 8000 RPM Spindle Speed, 30 ATC, CAT-40 Taper, s/n 7146, Fanuc 18i-MB Controls, w/ 2008 Kitagawa MR200RAE09 4th Axis CNC Rotary Table, s/n 081698

1997 Supermax MAX-3 Rebel 4-Axis CNC Vertical Machining Center, 40" x 17.3" x 24.8" XYZ Travels, 15.5" x 37.25" Table, 10HP, 8000 RPM Spindle Speed, 20 ATC, CAT-40 Taper, s/n 712686, Fanuc O-M Controls, w/ Yuasa UDX-17001 4th Axis CNC Rotary Table

1994 Supermax MAX-3 3-Axis CNC Vertical Machining Center, 40" x 17.3 x 24.8" XYZ Travels, 15.5" x 37.25" Table, 10HP, 6000 RPM Spindle Speed, 22 ATC, CAT-40 Taper, s/n 410853, Fanuc O-M Controls

1996 Supermax MAX-1 Rebel 3-Axis CNC Vertical Machining Center, 25.5" x 15.7" x 18.1" XYZ Travels, 16.5" x 33" Table, 7.5HP, 6000 RPM Spindle Speed, 16 ATC, CAT-40 Taper, s/n 605393, Fanuc O-M Controls

2008 Yama Seiki GA-2600 CNC Turning Center, 8.07" x 30" XZ Travels, 22.83" Max Swing, 13.77" Max Turning Diameter, 23.86" Max Turning Length, 8" 3-Jaw Chuck, 15HP, 40-4000 RPM Spindle Speeds, 12 Station Turret, s/n 91564, Fanuc Oi-TC Controls, Fonge X Chip Conveyor

2007 Yama Seiki GA-2600 CNC Turning Center, 8.07" x 30" XZ Travels, 22.83" Max Swing, 13.77" Max Turning Diameter, 23.86" Max Turning Length, 8" 3-Jaw Chuck, 15HP, 40-4000 RPM Spindle Speeds, 12 Station Turret, s/n 91501, Fanuc Oi-TC Controls, Fonge X Chip Conveyor

PRECISION CNC TURNING & MACHINING

MUST SEE



1997 Dainichi F15 CNC Turning Center, 17.7" Max Swing, 9.8" Max Turning Diameter, 24.4" Max Turning Length, 6" 3-Jaw Chuck, 6000 RPM Spindle Speed, 12 Station Turret, Programable Tail Stock, s/n 27616, Fanuc 21-T Controls



1994 Dainichi F15 CNC Turning Center, 17.7" Max Swing, 9.8" Max Turning Diameter, 24.4" Max Turning Length, 6" 3-Jaw Chuck, 6000 RPM Spindle Speed, 12 Station T

PRECISION



1997 Supermax MAX-3 Rebel 4-Axis CNC Vertical Machining Center, 40" x 17.3" x 24.8" XYZ Travels, 15.5" x 37.25" Table, 10HP, 8000 RPM Spindle Speed, 20 ATC, CAT-40 Taper, s/n 712686, Fanuc O-M Controls, w/ Yuasa UDX-17001 4th Axis CNC Rotary Table



1994 Supermax MAX-3 3-Axis CNC Vertical Machining Center, 40" x 17.3 x 24.8" XYZ Travels, 15.5" x 37.25" Table, 10HP, 6000 RPM Spindle Speed, 22 ATC, CAT-40 Taper, s/n 410853, Fanuc O-M Controls

MUST SEE



1996 Supermax MAX-1 Rebel 3-Axis CNC Vertical Machining Center, 25.5" x 15.7" x 18.1" XYZ Travels, 16.5" x 33" Table, 7.5HP, 6000 RPM Spindle Speed, 16 ATC, CAT-40 Taper, s/n 605393, Fanuc O-M Controls

1997 Supermax YCM-TC-26 CNC Turning Center, 9.84" x 27.5" XZ Travels, 19'69" Max Swing, 18.5" Max Turning Diameter, 25.47" Max Turning Length, 12' 3-Jaw Chuck, 20HP, 4000 RPM Spindle Speed, 12 Station Turret, s/n 91564, Fanuc O-T Controls, Fonge X Chip Conveyor

1997 Dainichi F15 CNC Turning Center, 17.7" Max Swing, 9.8" Max Turning Diameter, 24.4" Max Turning Length, 6" 3-Jaw Chuck, 6000 RPM Spindle Speed, 12 Station Turret, Programable Tail Stock, s/n 27616, Fanuc 21-T Controls

1994 Dainichi F15 CNC Turning Center, 17.7" Max Swing, 9.8" Max Turning Diameter, 24.4" Max Turning Length, 6" 3-Jaw Chuck, 6000 RPM Spindle Speed, 12 Station Turret, Programable Tail Stock, s/n 26431, Fanuc 18-T Controls

Large Selection of Inspection Equipment Including; Mitutoyo Height Master, Height Gauges, Assorted Micrometers up to 36", Micrometer Sets, Dial Indicators, Indicator Stands, Pin Gauges, Thread Gauges, V-Blocks…

Tooling Includes Quantity of Collet Spindles, Over 150 CAT-40 Taper Toolholders, Turning Insert Holders, Assorted Collets, Chucks, Carbide Inserts & Perishables, High Speed Steel Perishables.

INSPECTION DEPARTMENT & SUPPORT



Starrett Rapid Check 2, Model MGDS 2424-18 Coordinate Measuring Machine, Renishaw Probe, Pendant Controls, s/n MD00467R, w/ CPU Keyboard Mouse and 32" Monitor



Mitutoyo PH-3500 Profile Projector Comparator, s/n 760177, w/Mitutoyo UDR-220 XY DRO



Promax CM-2 Tool and Cutter Grinder, s/n 1280

AMERICAN AUCTIONEER GROUP

BID ON BIDSPOTTER.COM

TERMS OF SALE: CASH OR CASHIERS CHECK ONLY. 18% BUYERS PREMIUM ON ALL PURCHASES.$200.00 REFUNDABLE CASH DEPOSIT. 25% CASH DEPOSIT TOWARDS ALL PURCHASES. ALL SALES ARE SUBJECT TO ARIZONA SALES TAX. THERE WILL BE NO EXCEPTIONS.

BID LIVE OR VIA WEBCAST
BidSpotter.com

TERMS AND CONDITIONS
ALL ITEMS ARE SOLD AS-IS / WHERE - IS
NO GUARANTEES, OR WARRANTIES ARE APPLIED
ALL ITEMS MUST BE PICKED UP BY
SPECIFIED DATE

AMERICAN AUCTIONEER GROUP

PARTIAL & ABBREVIATED TERMS AND CONDITIONS OF AUCTION

ALL TERMS AND CONDITIONS BEHIND THE BIDDERS CARD SUPPLIED WILL APPLY TO ALL AUCTION SALE ITEMS AND FOR ALL PRIVATE NEGOTIATIONS. BY PARTICIPATING AND BIDDING AT AUCTION YOU ARE LEGALLY BINDING A CONTRACT WITH THE AUCTION COMPANY.

ALL INVOICES MUST BE PAID WITHIN 24 HOURS FROM AUCTION DATE. IT IS PROHIBITED TO BID ON ANY ITEM THAT CANNOT BE PAID IN FULL WITHIN 24 HOURS FROM AUCTION DATE. PAYMENTS MUST BE CASHIERS CHECK, WIRE TRANSFER, OR LETTER OF GUARANTEE FROM BANK.
ALL ITEMS MUST BE REMOVED BY NOVEMBER 17, 2026 3:00 PM (PST)
NO LOADING OR PICK UP ON SATURDAY AND SUNDAY.
NO LOADING BY AUCTIONEER OR SELLER.
BUYERS PREMIUM 18% FOR ALL ONLINE BIDDING ON BIDSPOTTER.COM.
AUCTIONEER IS NOT RESPONSIBLE FOR MIS IDENTIFICATION OF ANY EQUIPMENT OR ASSETS BEING SOLD AT AUCTION EITHER BY VERBAL OR WRITTEN. IT IS THE BUYER'S RESPONSIBILTY TO INSPECT THE GOODS AND ASCERTAIN IF THE SPECIFICATIONS, DESCRIPTIONS AND CONDITION OF THE GOODS CONFORM TO THE BUYER'S REQUIREMENT INCLUDING SERIAL NUMBERS.

BUYER ACKNOWLEDGES THAT THE EQUIPMENT OR ITEMS PURCHASED ONCE MAY HAVE CONTAINED, EXPOSED TO , AND OR UTILIZED HAZARDOUS MATERIAL. THERE MAY BE SURFACES ON ITEMS WHERE DECONTAMINATION CANNOT BE VALIDATED: AS SUCH, THE BUYER OR BIDDER ACKNOWLEDGING THAT THEY ARE ACCEPTING THIS EQUIPMENT OR ITEMS IN AN "AS IS" CONDITION.

BUYER AND THEIR ASSOCIATES WILL HOLD AUCTIONEER AND 'THE SELLER" HARMLESS AGAINST ANY AND ALL CLAIMS AND ACTIONS ARISING OUT OF THE PARTICIPATION OF THE INDEMNITEE IN THE ACTIVITY, INCUDING, WITHOUT LIMITATION, EXPENSES, JUDGEMENTS, FINES, SETTLEMENTS AND OTHER AMOUNTS INCURRED IN CONNECTION WITH ANY LIABLITY, SUIT, ACTION, LOSS, OR DAMAGE ARISING OR RESULTING FROM THE INDEMNITEE'S PARTICIPATION IN THE AUCTION.
ALL BIDDERS MUST ONLY USE APPROVED MACHINERY MOVERS BY SELLER WITH LIABILITY INSURANCE OF $2,000,000 OR HIGHER. NO ITEMS SHALL BE REMOVED UNLESS PAID IN FULL AND ALL ITEMS SHALL BE REMOVED IN THE TIME ALLOCATED BY THE AUCTIONEER.
ALL SALES ARE FINAL, AND ALL ITEMS ARE SOLD AS IS WHERE IS, WITH ALL FAULTS AND DEFECTS.
THERE ARE NO GUARANTEE OR WARRANTY TO ANY ITEMS SOLD (RE: MAKE, MODEL, YEAR, HOURS, MILES, OR MERCHANTABLITY BY AUCTIONEER OR SELLER).
BUYERS RESPONSIBILITY TO INSURE PROPER USE FOR SAFETY.
ALL ITEMS ARE SOLD AS "PARTS ONLY"
BUYER ACKNOWLEDGES THAT THE GOODS ARE PRE-OWNED AND GOODS WERE NEITHER DESIGNED NOR MANUFACTURED BY SELLER. SELLER HAS NO KNOWLEDGE OF OR CONTROL OVER THE PRIOR USE OR MISUSE OF THE GOODS OR ANY MODIFICATIONS TO THE GOODS FOLLOWING ORIGINAL MANUFACTURE. NEITHER DOES SELLER HAVE KNOWLEDGE OR CONTROL OVER THE APPLICATION OF THE GOODS BY BUYER. IT IS THE BUYER'S SOLE RESPONSIBILITY TO PROVIDE PROPER SAFETY DEVICES, EQUIPMENT AND INSTRUCTIONS FOR ANY PARTICULAR USE OR TAKE NECCESSARY STEPS TO CONFORM THE GOODS AND OPERATION THEREOF TO ALL FEDERAL, STATE OR LOCAL GOVERNMENT SAFETY STANDARDS AND LAWS INCLUDING WITHOUT LIMITATION THE OCCUPATIONAL SAFETY AND HEALTH ACT OF "OSHA". ANNOUNCEMENTS MADE BY THE AUCTIONEER ON THE DAY OF THE AUCTION TAKE PRECEDENCE OVER ANY PREVIOUS PRINTED MATERIAL PERTAINING TO THIS AUCTION. AUCTIONEER RESERVES THE RIGHT TO REMOVE OR ADD TO ANY AUCTION ITEMS ON THE LIST UNTIL AUCTION TIME.